

JACKS AND HYDRAULICS

Floor Jacks & Stands

2-Ton Floor Jack

SKU 964622 **399⁹⁹**
HEIHW93642

- Min. Height: 4-1/2"
- Max. Height: 20-1/4"



3-Ton Floor Jack

SKU 964623 **529⁹⁹**
HEIHW93652

- Min. Height: 5"
- Max. Height: 23-1/2"



4-Ton Floor Jack

SKU 964624 **1,469⁹⁹**
HEIHW93657

- Min. Height: 5"
- Max. Height: 25-3/4"



10-Ton Manual Floor Jack

SKU 964625 **2,589⁹⁹**
HEIHW93660

- Min. Height: 6-3/4"
- Max. Height: 25-1/2"



3-Ton Ratcheting Jack Stand Set

SKU 964601 **89⁹⁹**
HEIHW93503

- Max. Height: 19"
- Ratchet Action Height Adjustment



6-Ton Ratcheting Jack Stand Set

SKU 964621 **129⁹⁹**
HEIHW93506

- Max. Height: 25-3/8"
- Ratchet Action Height Adjustment



10-Ton Jack Stand Set

SKU 222506 **499⁹⁹**
HEIHW93512

- Max. Height: 31-1/2"



The Banner 3 1/2-Ton Fast Lift Service Jack

SKU 344792 **199⁹⁹**
BHKH6350

- Min. Height: 5-1/2"
- Max. Height: 22"



3-Ton Jack Stand Set

SKU 222493 **39⁹⁹**
BHKH5030

- Max. Height: 17"



3-Ton "Magic Lift" Jack with 3-Ton Stands

SKU 544584 **189⁹⁹**
OMG25033

- Jack Maximum Height: 20-7/8"
- Jack Minimum Height: 5-1/4"
- Jack Stands Maximum Height: 17"
- Jack Stands Minimum Height: 11-1/2"



3 1/2-Ton "Magic Lift" Service Jack

SKU 964644 **249⁹⁹**
OMG27035

- Innovative Design of Magic Lift Offers a Quick Lift
- Max. Height: 23"
- Low Profile Design Allows for Easy Access to Lift Points



6-Ton Magic Lift Jack Stand Set

SKU 964648 **79⁹⁹**
OMG32066

- Max. Height: 24-1/4"

2-Ton Low Profile Jack

SKU 964645 **339⁹⁹**
OMG29023

- For Low Profile Cars as Well as SUVs
- Extra Long Low Side Rails to Reach Hard to Get to Jack Points
- Low Height: Only 2.5"
- Max. Height: 20"



1,500 Lbs. Motorcycle Jack

SKU 300788 **179⁹⁹**
SFAT-2152

- Lift and Lower Your Motorcycle, ATV, Dirtbike and More with the Easy to Use Foot Pedal
- 1,500 Lbs. Weight Capacity
- Lift Height Over 14"
- Low Profile Clearance of 4-1/2"



22-Ton Truck Stand - Pin Style

SKU 964651 **199⁹⁹**
OMG32225

- Min. Height: 9-1/2"
- Max Height: 19-7/8"
- Sturdy, Welded Steel Construction for Superior Safety and Strength
- One Piece, Multi-Position Ductile Ratchet Bar Provides Super Strength and Durability and Quick Adjustment Mechanism That Securely Locks Into Desired Location
- Counter-Weighted Pawl Serves as a Safe, Secure Locking Device to Prevent the Load from Accidentally Disengaging
- Sold and to Be Used in Pairs



1-1/2-Ton Aluminum Racing Jack

SKU 901504 **259⁹⁹**
RANRFJ3000AL

- Min. Height: 3-1/2"
- Max Height: 17-3/4"



1,500 Lbs. High Reach Jack Stand

SKU 300796 **119⁹⁹**
BHKH5710

- Min. Lift Height: 53-3/8"
- Max. Lift Height: 78-7/8"
- Base: 12" Diameter



3/4-Ton High Reach Jack Stand with Foot Pedal

SKU 300797 **124⁹⁹**
BHKH5715

Garage Floor Jack Crossbeam

SKU 544803 **59⁹⁹**
24833

- Compatible with Any Floor Jack that has a 1-1/8" Diameter Saddle Stud
- Saddles Adjust from 23" to 32" on Center
- Weight Capacity at Min. - Max. Width: 3,000 Lbs. - 4,000 Lbs.



SAVE \$50

OEM TOOLS

22-Ton Air Hydraulic Truck Jack

SKU 544796 | 24851

only 349⁹⁹
REG. \$399.99

- Compact, Low Profile Design Easily and Safely Fits Between Wheels of Tandem Axle Vehicles
- Min. Height: 8-7/8"
- Max. Height: 17-3/4"
- Ram Travel: 4-3/4"
- Screw Adjustment: 4-1/8"



Offer Good Through September 30, 2015
While Supplies Last

Service Jacks



22-Ton Air Hydraulic Truck Jack

SKU 964640
OMG23221C

519⁹⁹

- Min. Height: 9-1/2"
- Max. Height: 18-3/4"



Bottle Jacks

OEM TOOLS

20-Ton Air Hydraulic Bottle Jack

SKU 544795 **129⁹⁹**
24850

- Can be Operated with Air or Manually
- Height: 10.25" - 20"
- Extension Screw Adjusts 3.25"



20-Ton Air Actuated Bottle Jack

SKU 964637 **379⁹⁹**
OMG18202C

- Min. Height: 9-1/2"
- Max. Height: 18-3/4"



Wheel Dolly

3/4-Ton Wheel Dolly

SKU 291389 **389⁹⁹**
OMG47053

- Safely Remove and Install Wheel Assemblies from HD Trucks
- Single, Duals/Tandems and Duplex Tires and Wheels
- Lift Arms Can Be Adjusted to Handle Different Wheel Combinations



Leasing Terms Available!†

Ask Your AutoZone®
Commercial Sales Manager

†See Page 100 for More Information

AutoZone®
Tool & Equipment QUARTERLY

Transmission Jacks

1,100 Lbs. Telescopic Transmission Jack

SKU 544786
24840
179⁹⁹

- Lift Range: 51" - 70"
- Adjustable Saddle with Tilt in Both Directions
- Durable Steel Casters
- Safety Tie-Down Chain to Secure the Load



70" REACH

1,100 Lbs. High Lift Transmission Jack with Foot Pump

SKU 750006
24844
349⁹⁹

- Lift Range: 47" - 77"
- Adjustable Saddle with Tilt
- Spring Loaded Release Valve Controls Lowering
- Durable Steel Casters

NEW



77" REACH

1/2-Ton Capacity Transmission Jack

SKU 902481
RANRTJ1100
379⁹⁹

- Lifting Capacity: 1,100 Lbs.
- Lowered Height: 45"
- Raised Height: 72"




72" REACH

700 Lbs. Transmission Jack

SKU 533215
BHKBH7000
399⁹⁹

- Lifting Capacity: 700 Lbs.
- Lowered Height: 57-1/4"
- Raised Height: 76-5/8"
- Double Pivoting Adjustable Saddle That Can Expand to Almost 19" x 19"



76-5/8" REACH

1-Ton, Two Stage Transmission Jack

SKU 544788
24842
599⁹⁹

- Lift Range: 33.5" - 72.5"
- 3-Way Adjustable Saddle Slides and Tilts Both Directions
- Convenient Foot Pedal Pump and Release
- Safety Anchor Chain Included



72-1/2" REACH

1-Ton Telescoping "Transjak"

SKU 902478
RANRTJ1
689⁹⁹

- Capacity First Stage: 2,000 Lbs.
- Capacity Second Stage: 1,000 Lbs.
- Lowered Height: 37"
- Raised Height: 79-1/2"




79-1/2" REACH

1-1/2-Ton Telescoping Transmission Jack

SKU 902484
RANRTJ3000
749⁹⁹

- Capacity First Stage: 3,000 Lbs.
- Capacity Second Stage: 2,000 Lbs.
- Lowered Height: 37"
- Raised Height: 79-1/2"




79-1/2" REACH

1/2-Ton Telescoping Transmission Jack

SKU 964652
OMG41000C
829⁹⁹

- Lifting Capacity: 1,000 Lbs.
- Lowered Height: 37-7/8"
- Raised Height: 77-5/8"



77-5/8" REACH

1/2-Ton Air-Actuated Telescopic Transmission Jack

SKU 222744
OMG41001C
999⁹⁹

- Air Turbo Motor is Air Equipped to Raise the Load to the Desired Height Efficiently, Effortlessly and Safely
- Chrome-Plated Rams Maximize Its High Reach Operated by a User-Friendly Foot Pedal
- Max. Height: 78-1/8"



78-1/8" REACH

1/2-Ton Air/Hydraulic Telescopic Transmission Jack

SKU 964632
HEIHW93720
2,249⁹⁹

- Combines Air and Hydraulic Power for Maximum Speed and Accuracy
- Lift Capacity: 1/2 Ton
- Lowered Height: 34"
- Max. Height: 72"



72" REACH

800 Lbs. Low Profile Transmission Jack

SKU 544789
24843
349⁹⁹

- Lift Range: 8-1/4" to 30-1/2"
- Fully Adjustable Saddle Adapts to Most Transmission Pans
- Swivel Saddle Adjusts Both Directions
- Four Swivel Ball Bearing Casters for Ease of Mobility



1-Ton Floor Style Transmission Jack

SKU 964631
HEIHW93718
2,119⁹⁹

- Max Height: 44-3/4"
- Designed for Heavy-Duty Transmissions



Fuel Tank Adapter for Transmission Jacks

SKU 222503
DOWJDI-FTA7
189⁹⁹

- Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- Works with Most Transmission Jacks



Body Repair



4-Ton Porto Power Kit

SKU 964658
PPBB65114
199⁹⁹

- Automatic Pump Overload System Protects Against Damage to Rams and Equipment



4-Ton Porto Power Kit

SKU 301327
24820
149⁹⁹

LOWER PRICE

- Long Handle Provides Low Pumping Effort
- Comes in Blow Mold Case



10-Ton Porto Power Kit

SKU 301328
24821
259⁹⁹

LOWER PRICE

- Features a Faster (Double-Action) Hydraulic Pump Causing the Ram to Move with Both the Up and Down Strikes of the Arm
- Comes in Blow Mold Case



4-Ton Body Repair Kit

SKU 964654
OMG50040
179⁹⁹

- Quick-Connect Technology for Effortless Assembly

5-Ton Flat Body Kit

SKU 964667
PPBB65139
124⁹⁹

- Ideal for Applications in Limited Spaces
- Four Adapters for Added Height
- Chrome Plated Plunger



10-Ton Porto Power Kit

SKU 964663
PPBB65115
349⁹⁹

- Snap-Lock Design for Quick and Easy Assembly
- Automatic Pump Overload System Protects Against Damage to Rams and Equipment
- 1/2-Ton Capacity Hydraulic Spreader Features 2" Jaws and Spreads from 5/8" to 3-3/4"
- Custom Fitted, Rugged Blow Molded Storage Case with Wheels for Easy Movement Between Jobs



10,000 Psi Air Actuated Foot Pump

SKU 964639
OMG22903
259⁹⁹

- Provides Up to 10,000 Psi with Standard Shop Air Supply of 110 - 175 Psi
- Oil Capacity: 50 Oz.



10-Ton Body Repair Kit

SKU 964656
OMG50100
279⁹⁹

- Quick Connect Technology for Effortless Assembly of Attachments to Meet Your Pushing and Pulling Needs
- Includes: Hand Pump, Hydraulic Hose, 10-Ton Ram, 18", 10", 4-1/8" and 28" Extension Tubes, Male Connector, Wedge Head, Serrated Saddle, Flat Base, Ram Toe, Plunger Toe, Rubber Head, 90° Combination Head, Spreader, Dust Cover (for Hose), Dust Cover (for Ram), Hose Coupler, Ram Coupler and Molded Case



JACKS AND HYDRAULICS


BONUS

Shop Press Pin Set

SKU 544794 | PART# 24813

Value: \$99.99

- Includes Set of (8) Press Pins, 2 to 20 Ton Capacity, with 25 mm Ram Adapter
- Suitable for Use with Hydraulic Ram Style Shop Presses Which Have a Female Ram Assembly Diameter of 25 mm and are Secured with a Bolt
- Includes Mountable Bracket
- Works with OEMTOOLS 24811 and 24812
- Not for Use with Bottle Jack Style Shop Presses



with Purchase of:
12-Ton Hydraulic Shop Press w/Gauge

SKU 544790 | Part# 24811

OR
20-Ton Air/Hydraulic Shop Press w/Gauge

SKU 544793 | Part# 24812

12-Ton Hydraulic Shop Press with Gauge

SKU 544790

24811

349⁹⁹

- Includes Press Blocks
- Oil Filled Pressure Gauge Provides Accurate Pressure Readings
- Measurement Between Uprights: 20"
- Working Range: 0" to 36-1/8"



20-Ton Air/Hydraulic Shop Press with Gauge

SKU 544793

24812

499⁹⁹

- Includes Press Blocks
- Oil Filled Pressure Gauge Provides Accurate Pressure Readings
- Ram Moves Side to Side for Versatility
- Measurement Between Uprights: 21-1/8"
- Working Range: 0" to 40-1/2"



Offer Good Through September 30, 2015 - While Supplies Last

5-Ton Bar-Type Puller/Bearing Separator Set

SKU 347218

27236

99⁹⁹



- Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes: 2" and 3" Bearing Splitters, (4) Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw

OEM

Shop Presses

20-Ton Shop Press

SKU 300134

24810

379⁹⁹

- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- Max Height: 31.5"
- Max Width: 21.75"
- Includes Press Plates



SUPER HEAVY-DUTY H-FRAME PRESS WEIGHS OVER 250 LBS. PROVIDING MORE STRENGTH AND DURABILITY COMPARED TO SIMILAR LIGHTER WEIGHT SHOP PRESSES ON THE MARKET

Bearing Splitter, 1/4" to 15/16"

SKU 514005

27231

29⁹⁹

- Maximum Spread: 15/16"
- Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" - 18
- Distance Between Adjusting Screws: 1-11/16"

OEM



Bearing Splitter, 1/2" to 4-5/8"

SKU 514006

27232

59⁹⁹

- Razor-Sharp Edges Wedge Between Parts and Securely Holds Tool
- Maximum Spread: 4-5/8"
- Minimum Spread: 1/2"
- Thread of Tapped Holes in Adapter: 5/8" - 18
- Distance Between Adjusting Screws: 4-3/8"



Wheel Dollies

Vehicle Position Jack Storage Stand

SKU 544800

24856

59⁹⁹

- Neatly Secure and Store Up to (4) Vehicle Car Dolly Jacks
- Dimensions: 24-7/8(L)" x 31-7/8(W)" x 9-9/16(H)"



1,500 Lbs. Vehicle Position Jack (Each)

SKU 544798

24855

129⁹⁹

- Hydraulic Ram Provides Stable Foot-Pedal Lift in Seconds
- Rolls in Any Direction



Vehicle Position Jacks with Storage Cradle (Set of 4)

SKU 696485

68986

549⁹⁹

- Includes (4) Position Jacks with Storage Stand
- Move Up to a 6,000 Lbs. Vehicle with Ease



Engine Stands

1,250 Lbs. Engine Stand

SKU 462493

24829

129⁹⁹

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4-Wheel Base Provides Added Stability
- 360° Rotation
- Lock Pin Locks Engine into Position
- Includes Tool Tray



1,250 Lbs. Engine Stand

SKU 534418

OMG31250

179⁹⁹

- Constructed from Heavy-Gauge Welded Square Tubular Steel
- Extra Long Handle with Rubber Grips for Easy Rotation and Maneuvering



1-Ton Folding Engine Stand

SKU 544804

24834

249⁹⁹

- Folds Upright to Conserve Valuable Floor Space
- Sturdy, Wide-Base Design to Prevent Tipping Under Load
- Slotted Adjustable Saddle Permits Quick and Easy Installation
- Head Swivels 360° to Easily Position Engine



1,250 Lbs. Rotating Engine Stand

SKU 964646

OMG31256

349⁹⁹

- Extra Long Handle with Rubber Grip for Easy Rotation and Maneuvering
- Head Plate Locks in 8 Positions and Rotates 360°
- Heavy-Duty Worm Gear Allows for Smooth and Effortless Engine Rotation



Engine Lifts

2-Ton Capacity Engine Hoist

SKU 123037

80-900T

229⁹⁹

- 8-Ton Capacity Hydraulic Jack for Faster and Easier Raising Action
- Large Diameter Ram to Withstand Side Loads
- 4 Position Telescoping Boom is Adjustable from 1/2 Ton to 2 Ton Capacity
- Legs are Over 55" Long for Greater Stability



Duralast



2-Ton Folding Shop Crane

SKU 544801

24830

399⁹⁹

- Foldable Design Makes for Convenient, Easy Storage
- (6) Solid Steel Caster Wheels Add Mobility
- Fully-Adjustable 4 Position Boom

OEM

2-Ton Folding Engine Crane

SKU 902288

RANRSC2TF

499⁹⁹

- This Heavy-Duty Hydraulic Folding Engine Hoist with 8-Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement



Ranger

Engine Supports

GM Engine Moving Tool

SKU 511006

THX419X

59⁹⁹

- Fits GM Front Wheel Drive Vehicles with Engine Torque Struts
- Safely Holds Engine in Place
- Extra Bolt Holes Provide Fit on all Vehicles
- Includes Adapter 419A



THEXTON



SCAN FOR DETAILS

3-Point Engine Support Bar

SKU 133617

24951

79⁹⁹

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- 700 Lbs. Capacity
- Two 14" Adjustable Hook Screws
- Width Expands from 34-1/2" to a Full 61"
- Two 38" Braided Steel Cables



OEM

1,100 Lbs. Engine Support

SKU 512946

24950

119⁹⁹

LOWER PRICE

- 2 Screw Adjusters for Precise Positioning - Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1,100 Lbs. Capacity



OEM

2 HOOKS - 2 CHAINS

TWICE THE ADJUSTMENT MEANS FASTER, EASIER AND SAFER

Leasing Terms Available!†

Ask Your AutoZone®
Commercial Sales Manager

†See Page 100 for More Information

AutoZone®
Tool & Equipment QUARTERLY



Torin®'s newest brand "TCE" brings the professional market the same pride, dependability and service automotive professionals have trusted for the last 50 years. All TCE products carry a two (2) year limited warranty.



2-Post Car Lift



Leasing Terms Available.
Ask Your AutoZone® Commercial Sales Manager.

**10,000 Lbs. Car Lift
2-Post Overhead Clear Floor**

- Features and Benefits:**
- High Overhead Clearance
 - Single Point Synchronizing Safety Latch System
 - Adjustable Lifting Arms
 - Dual Heavy Duty Hydraulic Cylinders
 - Aircraft Quality Equalizing Cables
 - Matted Powder Coat Finish
 - 78" Lifting Height Clearance
 - Every Transmission Mechanics Best Friend

Symmetric
SKU 171266
T10000-20H-B

2,799⁹⁹

Asymmetric
SKU 451565
T10000-20HA-B

2,799⁹⁹

Price Does Not Include Installation or Optional Equipment as Shown.

4-Post Car Lift



**7,000 Lbs. Car Lift
4-Post Parking Lift**

- Features and Benefits:**
- Ladder Lock System
 - Commercial Grade Synchronizing Safety Latch System Offers a Unique Two Position Locking Mechanism
 - Air Locking System
 - Detachable Tilting Approach Ramp
 - Large Heavy Duty 3" Cylinder
 - Aircraft Quality Lifting Cables
 - Matted Powder Coat Finish

**Narrow / Hobby
74" Lifting Height**

SKU 171267
T7000-4N

2,499⁹⁹

**Narrow / Tall
87" Lifting Height**

SKU 464061
T7000-4NT

2,699⁹⁹

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

Hoist Stands

1,500 Lbs. High Position Jack Stand

SKU 451493
TCE40753

99⁹⁹

- Max Height 79-7/8"
- Featuring Heavy-Duty Steel and High-Strength Welds for Safety in Mind
- ACME All Thread Rod Adjustment for Varied Load Heights
- Handles Have Thrust Bearings to Turn Easily Under Loads
- Large Bases for Extra Stability
- For Heavy Duty Jobs That Need Maximum Height Adjustment



2-Ton Tri-Fold High Position Jack Stand

SKU 451494
TCE42009

109⁹⁹

- Max Height: 83-3/4"



Transmission Jacks

1,000 Lbs. Telescoping Transmission Jack

SKU 451475
TCE50055

849⁹⁹

Double Ram for a Lower Profile Saddle Forward Tilt 30 Degree Saddle Reverse Tilt 12 Degree Lifting Range: 35" to 70-1/2"

- Single Person Operation
- Heavy-Duty Jack for Transmission Installation and Removal
- For Use with Car and Light Truck Transmissions
- Universal Mounting Head Provides a Wide Fore and Aft Tilt Range
- Manual Operated Hydraulic System



1-Ton Transmission Jack

SKU 451476
TCE10001

729⁹⁹

- Single Person Operation
- Heavy-Duty Jack for Transmission Installation and Removal
- Universal Mounting Head Provides a Wide Fore and Aft Tilt Range
- Low Profile Design Enhanced by Four Heavy-Duty Steel Swivel Casters for Easy Maneuvering Throughout the Shop
- Manual Operated Hydraulic System
- Patented Unique 360° Handle Design



Saddle Forward Tilt 68 Degree Saddle Reverse Tilt 15 Degree Rated Capacity: 2000 Lbs. Lifting Range: 8-1/4" to 30-5/8"

Lift Equipment

4,000 Lbs. (2-Ton) Ultra-Low Profile Garage Jack

Lifting Range: 3" to 20"

- Ultra-Low Profile Design Gives Clearance to Even High-Performance Super Cars
- Heavy-Duty Tubular Grip Handle That Provides Easy Handling
- Patented Quad-Trak Designed Polyurethane Front Wheels That Get Over Any Bump or Crack with No Resistance
- Polyurethane Mounted Rear Swivel Caster Wheels
- Rubber Saddle Pad and Foam Bumper Pad
- Built-In Wheel Nut Tray

SKU 451477
TCE82002

399⁹⁹



Jack Stands

10-Ton Round Tube Vehicle Support Stand

SKU 451491
TCE41000

164⁹⁹ each

Adjustment Range: 28-3/8" to 46-7/8"

- Featuring a Heavy-Duty Tubular Structure for Increased Strength and Stability and a Welded Frame Structure for Safety in Mind
- Large Bases for Extra Stability
- Solid Steel Height Adjustment Pin



7-Ton Square Tube Vehicle Support Stand

SKU 451490
TCE47000

119⁹⁹

Adjustment Range: 9-5/8" to 15-3/8"

- Featuring a Heavy-Duty Square Tube Structure for Increased Strength and Stability and a Welded Frame Structure for Safety
- Solid Steel Height Adjustment Pin



Vehicle Support Stand

- One-Piece Multi-Position Ductile Ratchet Bar Provides Super Strength and Durability and Quick Adjustment Mechanism That Securely Locks Into Desired Location



4-Ton Adjustment Range: 12-3/16" to 18-7/8"

SKU 451488
TCE44008

79⁹⁹

7-Ton Adjustment Range: 16-5/16" to 25-3/16"

SKU 451489
TCE47008

119⁹⁹

6,500 Lbs. (3-1/4 Ton) Professional Garage Jack

Lifting Range: 3-13/16" to 21-1/8"

Designed for the Shop Guys with Work in Mind and Security Guaranteed

- Dual Pump Pistons for Faster Rising Action
- Thick U-Channel Frame Side Plates and Reinforced Lifting Arm
- Tubular Grip Handle That Provides Easy Handling
- Rubber Saddle Pad and Foam Bumper Pad

SKU 451485
TCE83508

269⁹⁹



Auto Body Repair Kit

4-Ton Auto Body Repair Ram System

Min. Ram Stroke 10-3/4"

Max. Ram Stroke 15-5/8"

SKU 451492
TCE70401

159⁹⁹



Included Items:

- (1) 16-1/2" Extension Tube
- (1) 19-1/2" Extension Tube
- (1) 3-1/4" Extension Tube
- (1) 5" Extension Tube
- (1) 8-1/2" Extension Tube
- (1) 90° Comb. Head
- (1) Cylinder Assembly
- (1) Flat Base
- (1) Gray Blow Mold Case
- (1) Hydraulic Spreader
- (1) Male Connector
- (1) Plunger Toe
- (1) Rubber Head - Flat
- (1) Serrated Saddle
- (1) Wedge Head

Shop Presses

20-Ton Shop Press

SKU 451481
TCE20021

1,299⁹⁹

Force: 40,000 Lbs. Bed Internal Dimension: 21-5/8" Working Range: 0" to 39-3/8" Stroke: 7-1/2"

30-Ton Shop Press

SKU 451472
TCE30021

1,599⁹⁹


Force: 60,000 Lbs. Pneumatic Bed Internal Dimension: 21-5/8" Working Range: 2" to 44-1/2" Stroke: 5-7/8"

50-Ton Shop Press

SKU 451473
TCE50021

1,899⁹⁹

Force: 100,000 Lbs. Pneumatic Bed Internal Dimension: 27-15/16" Working Range: 2-5/8" to 36-1/4" Stroke: 7-1/2"



The hydraulic cylinder assembly is moveable and equipped with a locking device on all models. Great for hard to maneuver parts.

Bottle Jacks



12-Ton Stubby Lifting Range: 6-5/8" to 9-15/16"

SKU 451483
TCE91208

84⁹⁹

12-Ton Manual Lifting Range: 9" to 18-1/8"

SKU 451480
TCE91207

84⁹⁹

12-Ton Air/Hyd Lifting Range: 10-7/16" to 20"

SKU 451478
TCE31000

199⁹⁹

20-Ton Stubby Lifting Range: 7-1/8" to 10-1/2"

SKU 451487
TCE92008

119⁹⁹

20-Ton Manual Lifting Range: 10-7/8" to 18-3/8"

SKU 451486
TCE92007

119⁹⁹

20-Ton Air/Hyd Lifting Range: 10-7/16" to 20"

SKU 451479
TCE31001

229⁹⁹