# **DID YOU KNOW?**

AutoZone Carries R134a in 30-Pound Cylinders With and Without Dve and 12 Ounce Cans.

Contact Your AutoZone Commercial Sales Manager for Pricing

#### **Recovery Machines**

# **R134a Recovery, Recycle and Recharge Machines**

AIR CONDITIONING

MSC69788-A Automatic, MSC69789 Fully Automatic and MSC69789-H Fully Automatic R134a & Hybrid



#### 69789/69789-H Specifications Type of Refrigerant: R134a

- Service Procedure: Fully Automatic or Manual
- Voltage: 115 V/60 Hz Scale Resolution: .02 Lbs. (10g)
- Oil Scale Resolution: .01 Lbs. (5g)
- Working Temperature Range: 59/120°F (11/49° C)

- Compressor: Hermetically Sealed, 12cc, High Pressure
- Recovery Speed: .66 Lbs./Min (300g/min) in Liquid Phase
- Couplers: Manual
- Thermal Printer: Standard Equipment
- Pressure Gauges: Class 1
- Bottle Temperature Sensor: Integrated
- Bottle Heater: Standard Equipment
- Dimensions: 41.3"(H) x 23.6"(W) x 21.6"(D) (105 x 60 x 55 cm)

- Scale Resolution: .02 Lbs. (10g)
  Working Temperature: 59/120°F (11/49°C)
- Filter System: 2 Filters for Humidity
- Recovery Cylinder: Internally Mounted 30 Lbs. DOT Tank
- Hoses: 96" (250 cm)
- Couplers: Manual
- Bottle Temperature Sensor: Integrated
- Bottle Heater: Standard Equipment
- Dimensions: 40.25" (H) x 22.75" (W) x 20" (D) (102 x 58 x 51 cm)
  - Two Year Warranty •
  - Service Centers Throughout the USA • Phone Tech Support Service •

**Reduce Down Time...** Keep an Extra Filter Set On Hand!

**Replacement High/Low Filter Set** 

MSC69788FLTPK

Mastercool's MSC69788-A, MSC69789 and MSC69789-H Recharge-Recover-Recycle All-in-One Units





Mastercool

- Filter System: 2 Filters for Humidity
   Vacuum Pump: 6 CFM (100 Litre/Min) Capacity, (.001 Psi) 0.1 Mbar Vacuum Level
- Recovery Cylinder: 30 Lbs. (22 Litres), Refillable
  Hoses: 96" (250 cm)

- Weight: 176 Lbs. (80 kg)

#### **69788-A Specifications**

- Type of Refrigerant: R134a
- Service Procedure: Automatic/Programmable or Manual
- Voltage: 115 V/60 Hz

- Vacuum Pump: 6 CFM (100 Litre/min)
- Compressor: Hermetically Sealed, 12cc, High Pressure

- Weight: 157 Lbs. (71 Kg)





Replacement Filter Pack Kit for



#### 67 Cool-Tech R134a Recovery, **Recycling & Recharging** Machine

- Combines Simple Operation with Superior Accuracy
- Automatic Oil Drain: A Display Reminds You to Empty the Graduated Container to Show the Amount of Oil to Replace
- Automatic Air Purge: Eliminates Damaging Air Without Monitoring Gauges or Opening Valves
- Refrigerant Management System: Displays Refrigerant Use and Monitors Remaining Filter Life - Prompts Appear When 1/3 of Filter Life Remains

#### **Premium Refrigerant Recovery, Recycling and Recharging Machine**

- Recovers, Recycles, Evacuates, Leak Tests and Recharges R134a Quickly and Accurately
- Automatic Operation Means Less Attention is Needed! SAE J2788 Compliant
- Automatic Dye Inject: Gives the Ability to Use the Machine to Inject UV Dye Into a Vehicle's A/C System
- Automatic Oil Measure and Inject: Machine Will Automatically Determine How Much Lubrication Oil Needs to Be Injected Back Into the A/C System Based on How Much Oil was Taken Out During Recovery

#### Premier R134a Recovery, **Recycling and Recharging** Machine

- Fully-Automatic Function
- Automatic Oil Drain
- Oil Inject: Automatically Inject Oil Back into the Vehicle's A/C Systems
- Save and Print Before and After Service Data: Allows User To Store Before and After Service Information by Vehicle and Print This Info to Provide to a Customer
- Vacuum Leak Test
- Refrigerant Charging

#### Premier R134a Recovery, **Recycling and Recharging** Machine for Hybrid and **Non-Hybrid Vehicles**

- Fully-Automatic Function
- Automatic Oil Drain
- Save and Print Before and After Service Data: Allows the User to Store Before and After Service Information by Vehicle and Print This Information to Provide to a Customer
- Visual and Audible Alarm: Notifies the User When Service is Complete or if a Problem Has Occurred



16

## Leasing Terms Available!<sup>†</sup>

Ask Your AutoZone® Commercial Sales Manager <sup>1</sup>See Page 100 for More Information





#### 1.5 CFM Single Stage Vacuum Pump SKU 573206 MSC90059-R 13999

- 1/6 HP, 75 Microns
- High Volume Fan Provides Cool Air to Motor and Pump
- Includes T-Fitting with 1/4" Flare and 1/2" ACME Ports
- Manifold Valve Isolates Pump from the System Testing for Leaks
- Includes 3 Inlet

Ports, 1/4", 3/8 SAE and 1/2" ACME Ports



- 1/4 HP, 75 Microns
- T-Fitting with 1/4" Flare 1/2" and ACME Ports
- Vapor Discharge Oil Port
- Internal Check Valve to Prevent Escape of Liguid
- Thermally Protected Motor with On/Off Rocker Switch



- 1/4 HP
- 75 Microns
- Internal Check Valve to Prevent Escape of Liquid Oil
- Pump Speed: 1,720 RPM
- Includes Easily Accessible Oil Fill Port

#### Vacuum Pump sku 466312 9999 24500

- 1/4 HP, 110V Motor
- 100 Microns
- Internal High Volume Cooling Fan
  Inlet Ports: 1/2" ACME 1/4" Flare for Extended Use
- Oil Capacity: 200 ml, Included



#### Vacuum Pump sku 466305 14999 24501

• Internal High Volume Cooling

Fan for Extended Use

• Inlet Ports: 1/2" ACME -

• 1/3 HP, 110V Motor

• 75 Microns

1/4" Flare

#### Vacuum Pump sku 466306 **1999**9 24502

- 1/3 HP, 110V Moto
- 75 Microns
- Internal High Volume Cooling Fan for Extended Use
- Inlet Ports: 1/2" ACME -1/4" Flare
- Oil Capacity: 330 ml, Included



6 CFM 2-Stage Vacuum Pump sku 301619 MSC900662V110 34999

- 1/3 HP
- 15 Microns
- Pump Speed: 3,440 RPM
- Free Air Displacement: 10 CFM



- Vacuum Pump Oil (8 Oz) sku 363429 999 24399
- Improves the Life of the Pump
- Performance of Your Pump Depends on Regular Service and the Quality and Purity of the Vacuum Pump Oil That You Use
- Compatible for Use in Pumps Made by Most Manufacturers



OEM

STORE STOCK

and R12 Connectors • Air Pressure Range: 75-180 Psi

24533

SKU 544730 **99** 

Includes 1/2" ACME (R134a)

• Air Consumption: 4.2 CFM @ 90 Psi

**Air-Operated Vacuum Pump** 

Vacuum Capacity: 28.3" of Mercury
 @ 90 Psi



OEM

# AIR CONDITIONING



#### Flush Machines and Kits

CDS

#### A/C Flush Machine sku 217370 CPSAFM100 1,17999

• Air Operated

18

- 8' Hoses to Reach Any System
- Forward or Reverse Flush without Changing Hoses
- 2-1/2 Gallon Capacity Tank for Use on Cars and Buses
- Universal Couplers Allow Connection to Virtually all Types of Connections







#### A/C Flush Solvent

- Non-Toxic, Quick Evaporating A/C Flush
- Effectively Removes Debris and Sludge from A/C Components
- Solvent-Based, Evaporates Quickly, Leaves No Residue

Price	Item	Part #	SKU
\$22.99	32 Oz. Flush Solvent	MSC91049-32	695650
\$99.99	32 Oz. Flush Solvent (6 Pack)	MSC91049-32-6	695652
\$49.99	1 Gallon Flush Solvent	MSC91049-128	695653
\$198.99	1 Gallon Flush Solvent (4 Pack)	MSC910491284	695654





• Self-Evaporating

Pr	ltem 💙	Part #	SKU
\$49	A/C Flush Kit	MSC91051	695646
\$24	17 Oz. A/C Flush Can	MSC91050	695647
ck) \$13	17 Oz A/C Flush Cans (6 Pack)	MSC91051-6	695649



#### **OEM**<sup>®</sup>

A/C System Flush Kit

SKU **466308 4999** 24515

- Helps in Reducing Comebacks by Removing Contaminants and Debris That Can Stop Up System and Cause Compressor Failure
- Use with MSC91049 A/C Flush Solvents
- Includes Canister, Hose, Blowgun, Rubber Tip and Cylinder Cap





Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.



**1-877-AZTool1 (phone)** (1-877-298-6651) Hablamos Español aztool@aztool1.com (email) www.aztool1.com (visit website)





Prices Subject To Change Without Notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

19

# AIR CONDITIONING



20



**1-377-AZTool1 (phone)** (1-877-298-6651) Hablamos Español **aztool@aztool1.com** (email) www.aztool1.com (visit website)



#### **Line Splices**

# New Prices on Kits Save Even More!



#### Line Terminator SAE/Metric (10 Pack) sku 504124 AIR76530

- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y", Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Kit

### Line Terminator SAE (5 Pack)

- sku **504122 8999** AIR76526
- Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y"
- Block Off Leaking Rear Evaporators and Failed System Components
- Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" Kits



#### Effective, Durable Leak Repair with No Line Removal 5 Minute Install - No Special Tools Includes One Each: 5/16" 3/8" 1/2" 5/8" a

 Includes One Each: 5/16", 3/8", 1/2", 5/8" and 3/4" SAE Line Splice Kits; Plus One Each: 8 mm, 10 mm, 12 mm, 15 mm and 16 mm Metric Line Splice Kits

#### Line Splice Straight SAE (5 Pack)

# sku **504101 13999** AIR76050

Line Splice Straight

SKU 504103 26999

SAE/Metric (10 Pack)

- Effective, Durable Leak Repair with No Line Removal
- OE Approved
- 5 Minute Install No Special Tools
  Includes One Each: 5/16", 3/8", 1/2",
- Includes One Each. 5/16 , 3/8 , 1/2 5/8" and 3/4" Line Splice Kits



**OE** Approved



# Get a Reliable Repair in 5 Minutes No Special Tools or Adhesives Required!





#### Line Splice Straight Repair Kit

• Effective, Durable Leak Repair with No Line Removal

SKU	Part # Size		Price
SAE			
504136	AIR76001	1/2" Line	\$29.99
504138	AIR76002	3/8" Line	\$29.99
504140	AIR76003	5/16" Line	\$29.99
504143	AIR76011	5/8" Line	\$39.99
504145	AIR76012	3/4" Line	\$39.99
METRIC			
504132	AIR77008	8mm Line	\$29.99
504155	AIR77010	10mm Line	\$29.99
504156	AIR77012	12mm Line	\$29.99
504133	AIR77015	15mm Line	\$39.99
504117	AIR77016	16mm Line	\$39.99



#### Line Splice 45 Degree Repair Kit

Quickly Replace Damaged Metal Line Bends or Reconfigure a Line

SKU	Part#	Size	Price
504104	AIR76061	1/2" Line	\$39.99
504105	AIR76062	3/8" Line	\$39.99
504106	AIR76063	5/16" Line	\$39.99
504108	AIR76064	5/8" Line	\$44.99



#### Line Splice 90-Degree Repair Kit

Quickly Replace Damaged Metal Line Bends or Reconfigure a Line

SKU	Part#	Size	Price
504109	AIR76071	1/2" Line	\$39.99
504110	AIR76072	3/8" Line	\$39.99
504111	AIR76073	5/16" Line	\$39.99
504112	AIR76074	5/8" Line	\$44.99



#### Line Splice Low Side Service "T"

- Replace Defective or Hard-to-Reach Service Ports
- Ensures Leak-Free Performance

SKU	Part#	Size	Price
504113	AIR76201	1/2" Line	\$39.99
504114	AIR76202	3/8" Line	\$39.99
504116	AIR76204	5/8" Line	\$49.99



#### Line Splice High Side Service "T"

Replace Defective or Hard-to-Reach Service Ports
Ensures Leak-Free Performance

SKU	Part#	Size	Price
504118	AIR76212	5/16" Line	\$39.99
504120	AIR76213	3/8" Line	\$39.99
504121	AIR76214	1/2" Line	\$39.99



### Line Terminator Rear A/C Blockoff Kit

 Quickly and Effectively Blocks A/C Lines at the Damage Point or at the Front System "Y", Block Off Leaking Rear Evaporators and Failed System Components

SKU	Part#	Size	Price
504146	AIR76501	<b>1/2" Line</b>	\$22.99
504149	AIR76502	3/8" Line	\$22.99
504150	AIR76503	5/16" Line	\$22.99
504152	AIR76504	5/8" Line	\$26.99
504154	AIR76505	3/4" Line	\$31.99



#### **Smart Splice Straight Connector**

• Quickly and Easily Connect A/C Reduced Barrier Hose to Metal Line

SKU	Part #	Size	Price
504125	AIR76701	1/2" Line to #8 Hose	\$29.99
504128	AIR76702	3/8" Line to #6 Hose	\$29.99
504129	AIR76703	5/16" Line to #6 Hose	\$29.99
504130	AIR76704	5/8" Line to #10 Hose	\$39.99
504131	AIR76705	3/4" Line to #12 Hose	\$39.99



#### Line Splice Straight Repair Kit Reducer

• Effective, Durable Leak Repair with No Line Removal

SKU	Part#	Size	Price
504141	AIR76004	3/8" to 5/16" Line	\$29.99
504095	AIR76005	1/2" to 5/16" Line	\$29.99
504142	AIR76006	1/2" to 3/8" Line	\$29.99

21