TIRE SERVICE



Complete Tire and Wheel Service

geodyna® 7100 Balancer and monty® 1270 Tire Service Combo

SKU **339014** HOFCOMBOITS **3,99999**

• Save With This Great General Service Tire Service Combo

• Includes monty® 1270 Tire Changer With Outer Clamping Up To 20" and the Geodyna® 7100 Wheel Balancer With Belt-Driven One-Spin Balance, VPM Measuring System, User-Friendly 2D SAPE Data Entry and Intuitive Control Panel



HOFMANN

2,099.99 Tire Changer +2,099.99 Wheel Balancer

\$4,199.98 TOTAL



Dannmar® T-100 Tire Changer and **B-100** Wheel Balancer Combo

SKU **818788** DAN1381801

• Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer

- This Dannmar Combo is Best Suited for Gas Stations. Small Garages and Auto Salvage Yards. With the T-100, B-100 Combo You Get Great Value and More Bang for Your Buck
- T-100 Outside Clamp: 12" 22"
- B-100 Rim Diameter: 1" 28"
- B-100 Includes Data Acquisition Wand and Quick Nut

• 1 Year Parts Only Warranty



Lift Gate Service

1,599.99 Tire Changer

\$3,049.98 TOTAL

\$2,799.99 COMBO DEAL \$249.99 SAVE

+1,449.99 Wheel Balancer



Ranger Tire Service Package

RANCOMBO1 3

- Includes: R980XR NEXTGEN™ Swing-Arm 25" Tire Changer and the DST-2420 Dynamic Wheel Balancer
- R980XR External Rim Clamping Capacity: 9" - 28"
- The Highly Accurate DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result Within Hundredths of an Ounce

2,099.99 Tire Changer +1,679.99 Wheel Balancer \$3,779.98 TOTAL \$3,699.99 COMBO DEAL \$79.99 SAVE



Dual Position RimGuard™ Wheel Clamps

Wheel Weight Starter Kit #5150235 Includes: 100 piece silver roll and 100 piece black roll



Lift Gate Service SKU **262533** RANLIFTGATE **135**00

RANR980XR

Coats® RC-55E and 1150-2D Tire Service Combo

SKU **818790** SKU **818790 9,59999** AMMCOMBO1

- The Ideal Combo Packed With Features for Front Line Tire Service
- This Package Includes: Coats AMM85001150 Wheel Balancer With Direct Drive, Direct Tape-A-Weight® Measurement and Static-On-Screen Combined With AMM85002250RC-55E Tire Changer Featuring the RC Robo-Arm®, Built-in Bead Sealing Jets and Conveniently Placed Foot Pedals.



Lift Gate Service SKU 262529 AMMLIFTGATE 5500



5.699.99 Tire Changer +4,599.99 Wheel Balancer \$10,299.98 TOTAL \$9,599.99 COMBO DEAL \$699.99 SAVE



Tire Changers

ENTRY LEVEL TIRE CHANGERS

BL300 Tire Changer With 24" External Clamping Capacity SKU **510997**

- AMM85002300 Drive System: Electric
- Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- 12" 26" Internal

• Wheel Clamping Capacity: 10" - 24" External





User Setup Required. Factory Authorized Service Network Available.

BASELINE



Changer/Balancer Combo* and Receive a \$200 Rebate Plus Free Setup and Installation **! For Details Go to www.rebate.ammcoats.

*See Baseline 350 Wheel Balancel page 37

**Includes Setup for Combo Purchases Only

Comes With 1 Year Motor and Trans Parts Only Warranty

BL500 Tire Changer With 24" External Clamping and Robo-Arm®

SKU **509828** AMM85002500

- Drive System: Electric
- Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External, 12" 26" Internal
- Fully Articulating Robo-Arm Helper to Aid in Mounting Stiffer Sidewall Tires



BASELINE

BUY \$400

Purchase the Tire Changer/ **Balancer Combo*** and Receive a \$400 Rebate Plus Free Setup and Installation**! For Details Go to

*See Baseline 550 Wheel Balai page 37

**Includes Setup for Combo Purchases Only

Lift Gate Service SKU 262529 AMMLIFTGATE 5500

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

Tire Changers

Tilt Back Tire Changer / 30" **Capacity NextGen™ Series**

SKU **544546**

RANR76LT

- Drive System Type: Electric/Air
- Motor: 2 HP (110 220VAC 50 60 Hz) • Air Requirement: 110 - 175 PSI/8 - 12 Bar
- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30"
- Table Clamping System: Dual Pneumatic Cylinders
- Bead Breaking System: Pneumatic Blade
- Tower Design Tilt-Back

Lift Gate Service SKU **262533** RANLIFTGATE **135**00



TOP SELLER

Swing Arm Tire Changer / 30" Capacity NextGen™ Series

RANR980XR

- Drive System Type: Electric/Air
- Motor: 2 HP (110/208 240VAC 50 60 Hz)
- Air Requirement: 140 165 PSI/ 10 11 Bar Bead Breaker Tire Width Capacity Demount: 1.5" - 16" (38 mm - 406 mm)
- Internal Rim Clamping Capacity: 10" 30'
- (254 mm 762 mm) • External Rim Clamping Capacity:
- 9" 28" (229 mm 711 mm) Bead Seating System: Turbo Blast/Bead Seating

Lift Gate Service SKU **262533** RANLIFTGATE **135**00



Swing Arm Tire Changer 30" Capacity NextGen™ **Series**

SKU **544590** RANR980XRF

Internal Rim Clamping

- Capacity: 10" 30"
- Maximum Tire Diameter: 50"
- 2 HP, (208 240V, 50 60 Hz, 1 Phase Only)

Lift Gate Service SKU 262533 RANLIFTGATE 13500



Swing Arm Tire Changer / Single Tower Assist / 30" Capacity NextGen™ Series

SKU **544537**

- RANR980AT • External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" 30'
- Maximum Tire Diameter: 50"
- Motor: 2 HP (110/208 240V, 50 60 Hz)

RimGuard™ 28" Swing-Arm and Single Power Assist Tire Changer

SKU **544542** RANR980ATF

• 2 HP (208 - 240V, 50 - 60 Hz, 1 Phase Only)

- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30"
- Maximum Tire Diameter: 50"



Ranger

Features True Variable Speed Control

Lift Gate Service SKU **262533**RANLIFTGATE **135**00



SKU **544547**

RANR980NXTF

- 2 HP (208 240V, 50 60 Hz 1 Phase Only)
- External Clamping (Outer): 9" 28'
- Maximum Tire Diameter: 50"

Features True Variable Speed **Control**

Lift Gate Service SKU 262533 RANLIFTGATE 13500



Tilt Back Tire Changer / Right Tower Single Assist / 30" Capacity NextGen™ Series

SKU **544543** RANR76ATR

- Alloy Steel Mount and Demount Head, Nylon Tool Head Also Comes Standard
- External Rim Clamping Capacity: 9" 28"
- Forged Steel Foot Pedal Levers • Maximum Tire Diameter: 43"
- Tilt-Back 28" With Assist

Tower Tire Changer

SKU **544550** RANR76ATRF

- External Rim Clamping Capacity: 9" 28"
- Maximum Tire Diameter: 43"
- 2 HP (208 240V, 50 60 Hz, 1 Phase Only)



Lift Gate Service SKU **262533** Ranliftgate **135**00



Swing Arm Tire Changer / Single Tower Assist / 32" Capacity **NextGen™ Series**

SKU **312819** RANR30XLT

- Internal Rim Clamping Capacity: 13" 33"
- External Rim Clamping Capacity: 10" 28"
- Turntable Tire Width Capacity Mount: 5" 22"
- Bead Breaker Tire Width Capacity Demount:
- Maximum Tire Diameter: 50'

Lift Gate Service SKU **262533**RANLIFTGATE **135**00



Tire Changers

monty® 1270 Tire Changer SKU **339003**

HOFEEWH764AU1 • Designed to Handle Large Tires up to 20"

• Mounting Arm Swings to the Side so the Machine Can Be Installed Near the Wall to Save Space • Includes: Oiler, Water Separator, Manual

Tire Inflator



Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



monty® 1520 20" **Capacity Tire Changer** SKU **290001**

H0FM1520110

• Overall Wheel Clamping Diameter 10" - 20" • Two Stage Bead Breaker- Range 2" - 13"

• Dual Pneumatic Clamping Cylinders Control All Four Clamping Jaws, Eliminating Damage to Wheels Due to Slippage

• Powerful Tire Inflation System - Each Moveable Jaw Is Precisely Set to the exact Position Under the Wheel to Seal the Tire Bead

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00





- Ideal for Shops Looking for Great Value Without Sacrificing Productivity
- Outer-Wheel Diameter of 21"
- Accommodates Tire Diameter of 40"
- Powerful Inflation System





HOFMANN

SKU **849300** HOFMONTY1625B Designed for High-Volume Tire Shops,

monty® 1625 Tire Changer

Multi-Bay Repair Shops and Car Dealerships • Outer-Wheel Diameter of 24" • Accommodates Tire

Diameter of 42" • Powerful Inflation





monty® 1625 2 Speed Changer SKU **312540** HOFEEWH748A

• 14 RPM 2 Speed Motor Allows for Quicker Turnaround Times • Designed for High-Volume Tire Shops, Multi-Bay Repair Shops and Car Dealerships

• Outer Wheel Clamping Diameter: 10" – 24" • Inner Wheel Clamping Diameter: 12" - 26' Maximum

Tire Diameter: 50" Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



monty® 8100s Center **Post Tire Changer**

SKU **298106** HOFEEWH768C

• monty® 8100S Center Post Tire Changer Designed for Easy Use With Minimal Training of Technicians Reducing Shop Overhead and Adding to Your Bottom Line



SKU **290017** HOFLIFTGATE **95**

TIRE SERVICE

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tire Changers

RC-45E Rim Clamp® **Tire Changer**

SKU **688225 (Electric)**

- AMM8560994901
- External Rim Clamping Range: 6"
- Maximum Rim Width: 10.5"
- Maximum Tire Diameter: 50"
- Includes Bead Sealing Jet to Aid Inflation

Lift Gate Service SKU 262529 AMMLIFTGATE 5500



RC-55E Rim Clamp® **Tire Changer**

SKU **688223**

AMM8560995001

- Robo-Arm® Power Assist for Low-Profile and Run-Flat Tires
- External Rim Clamping Range From 6" – 24" Diameter
- Maximum Rim Width 10.5"
- Maximum Tire Diameter 50'
- Electric Turntable

Lift Gate Service SKU 262529 AMMLIFTGATE 5500



60X Rim Clamp® Tire Changer

SKU **298103** AMM80060XEH1

7,49999

- Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener
- · Single Point Sealer • Rim Diameter: 6-24" External



Lift Gate Service SKU **262529** AMMLIFTGATE **55**00

GTS-70 Tilt-back Tire Changer SKU **019305**

AMM85610076 Powered Roller Disk: Multiple Uses Include: Bead Loosening

TPMS Access Bottom Bead Removal and Top Bead Mounting

• Rim Width 15"

110VAC



AMM85607986

• 16"-28" External Clamping

Updated Jaw Profile Accommodates Newer Rim Flange Profiles

 Wider Grip Contact Area and Slip on Polished Surfaces



Grip Max® Plus Adiustable Clamps SKU **012699**

Accessory Kit

AMM80070XEH3

• Single Point Sealer

• Patented Robo-Arm® Helper Device

• Hand Activated Bead Loosener

• Rim Diameter: 6-24" External

SKU **979908**

- New Material Further Reduce





Wheel Balancers

Digital Wheel Balancer SKU **977528**

RANDST2420

- Motor: 3/4 HP, 110V/220V 50/60 Hz, 1 Phase
- Balancing Modes: Dynamic/Static/
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max. Tire Diameter: 47"/ 1,194 mm • Max. Tire Weight: 145 Lbs.
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz.
- Accuracy: + 1 Gram/.035 Oz.





TOP SELLER

Lift Gate Service

SKU **262533**RANLIFTGATE **13500**

Digital Wheel Balancer

SKU **343398** RANDST-64T

 Ergonomic Control Board With Soft Touch Keys and Easy-to-Read LED

Lift Gate Service

- Motor: 1.5 HP, 208 230V, 50/60 Hz, 1 Phase
- Maximum Tire Diameter: 50"
- Maximum Tire Weight: 150 Lbs.
- Cycle Time: 6 12 Seconds (Avg.) Depending On Wheel
- Precision-Machined, Hardened-Steel 36 mm Shaft



24999

Ranger

Lift Gate Service SKU **262533**RANLIFTGATE **13500**

REG: \$10,799.99

DON'T FORCET THIS ACCESSORY

1150 Wheel Balancer SKU **527702**

- AMM85001150 4 Auto Distance and Diameter Data Entry
- Behind the Spoke Mode
- 40 mm Shaft Diameter • Maximum Tire Diameter: 44"

Lift Gate Service SKU **262529** AMMLIFTGATE **55**00



1500A 3D Wheel Balancer SKU **339012**

• Works With Ranger Wheel Balancers Listed on This Page

AMM80015003D Powered by Direct Drive NEW

- Includes Premium
- Quick Nut • Automatic 3-D Data Entry
- Basic Adapter Kit Included NEW Collet Adapters

Lift Gate Service SKU 262529 AMMLIFTGATE 5500



COALS





Truck Cone Kit

AMM80016003D

• Stop & Lock

• Powered by Direct Drive ProBalance Technology™ Premium Quicknut

• 8 Balancing Modes • Automatic 3-D Data Entry Basic Adapter Kit Included





NEW

Offer Good Through December 31, 2016 **While Supplies Last**

DON'T FORGET THESE AGGESSORIES

• Works With Coats Wheel Balancers Listed on This Page



SKU 818762 AMM85610104 **1,49999**



40mm Light Truck Cone

SKU 212844 AMM8113277C

Free Delivery!

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.[†]



Tool & Equipment Quarterly

Wheel Balancers

BaseLine 350 Wheel Balancer SKU **818787**

- AMM85002350 • Manual Data Entry
- Foot Pedal Brake for Easy Weight Placement
- Self-Diagnosis and Self-Calibration
- One Button Split and Hidden Weight Program



Purchase the Tire Changer/Balancer Combo* and Receive a \$200 Rebate Plus Free Setup and Installation**! For Details Go to

*See Baseline 300 Tire Changer page 34 **Includes Setup for Combo Purchases Only

BASELINE

asijihin

BASELINE ENTRY LEVEL WHEEL BALANCER User Setup Required. Factory Authorized Service Network Available.

BASELINE

BUY

SKU **818786**

AMM85002550

• Direct Weight Location

Direct Selection Ounce/Grams

BaseLine 550 Wheel Balancer

Automatic Distance and Diameter Entry (2D)

Purchase the Tire Changer/Balancer Combo* and Receive a \$400 Rebate Plus Free Setup and Installation*! For Details Go to

*See Baseline 500 Tire Changer page 34 *Includes Setup for Combo Purchases Only

Comes With 1 Year

Parts Only Warranty

Lift Gate Service SKU 262529 AMMLIFTGATE 5500

BASELINE



geodyna® 7100 Wheel Balancer With LED Display SKU **339018**

SKU 339U18 HOFEEWB761AE1 **2,099**99 Combines High Accuracy With Small Footprint

 Semi-Automatic Input of Rim Diameter and Offset With Gauge Arm

• Short Balancing Cycle: 4.5 Seconds • Rim Diameter: 8" - 32"

Lift Gate Service

SKU **290017** HOFLIFTGATE **95**00



HOFMANN

HOFMANN 🜌



HOFEEWB764AL 4,79999

 Video Display Balance Time: 6.5 Seconds Automatic Data Entry Includes: Ziplock Ring Nut, Spacer Ring, Drum, Drum Cushion and 4 Cone Set



Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



HOFMANN 🗾

BASELINE



Hofmann geodyna® 7600L

HOFEEWB765AL **5,899**99

 The geodyna® 7600L Features a Touchscreen User Interface and Video Display With 2D SAPE Data Entry and SmartSonar for Non Contact Rim Width Acquisition Plus the EasyWeight Pinpoint Laser and Rim Lighting for Speed, Accuracy and Efficiency on Every Balancing Job



Lift Gate Service SKU **290017** HOFLIFTGATE **9500**





year standard parts 6 months labor



HOFEEWB765AP • The Hofmann geodyna® 7600P

Wheel Balancer Features the Power Clamp Electromechanical Clamping System



Lift Gate Service SKU 290017 HOFLIFTGATE 9500



HOFMANN 🜌

Mount/Demount Heads

Nylon Mount/Demount Head Kit With Round Hole

SKU **459195** TMRTC14024784



John Bean Snap On

Fits On

Accuturn

3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP EHP System IVE, IV, III, IIE

3602, 3602HP, 4260, 4560MR,

Models

Hofmann John Bean Snap On

Accuturn

4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP EHP System IVE, IV, III, IIE

Coats

Hunter

/ Ranger

Fits On Models

TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, Hunter

(Require Adapter) 220A, All Other Models Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models.R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter

5030, 5040, 5050, 5060, 5065, 6050, 6060, 7050, 7055,

Coats Nylon Mount/Demount Head - Tapered Hole

TMRTC20024335



5030, 5040, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660 and 7665, BL200, BL300, BL400 and BL500

Kit With Round Hole SKU **459187** TMRTC250309

TMRTC450310

Red Nylon Mount/

Coats Nylon Mount/

Demount Head - Tapered Hole

Nylon Mount/Demount Head

SKU **459185**

TMRTCR343

SKU **459183**

TMRTC183061



Baseline

All Tool

Coats

Corghi

Hofmann

Sice

Coats

Accuturn

Ranger

BL200, BL300, BL400 and BL500

All Models

All Rim Clamp

7060, 7065, 7655, 7660 and 7665

Tool Head for Hunter

Head (Flange Only)*

SKU **899502**

RAN5150524

Mount/Demount Head

Low Profile

SKU **557259**

TMRTC184432

SKU **557241** TMRTC14120



TCA34 With Serial Numbers 664 and Above

> **Coats Nylon Mount/Demount** Head - Tapered Hole SKU **459189**

All Tool Coats Corghi Giuliano Hofmann Hunter Sice

All Models RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90 All Rim Clamp

RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90

Earlier Models Except 1550, 1620 and 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436 and S436TC

Shaft Needs to Be Turned 180 Degrees for This Head to Work Earlier Models Except 1550, 1620 and 1625 Fits All TCX Series (Earlier TCX500 Requires Upgrade Shaft and Kit RP11-8-114-00091) M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436 and S436TOP

Free Delivery!

Specifications Subject to Change Without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.

TIRE SERVICE

VT55 OBDII_TPMS | ATEQ Diagnostic Tool •

SKU **095059** ATEVT550BDII **99999** RFG: \$1

- 3 Year Free Software Updates Included
- 98% Coverage on Vehicles Equipped With TPMS Comprehensive MMY Specific
- Re-Learn Procedures
- Programs and Decodes Programmable and Universal **TPMS Sensors**
- **OBDII** Programming on Applicable Asian European and Domestic Vehicles



Offer Good Through December 31, 2016 While Supplies Last

TPMS Tools and Readers MaxiTPMS® TS401

VT30 TPMS ID Reader

SKU **531172** ATEVT30-1000

- Decode and Display All TPMS Sensors Currently on the Market, Including Yours
- Synchronize Through Internet Using a USB Connection on a PC

Diagnostic and Service Tool SKU **255740** AULTS401

· Activates All Magnetic, Frequency, and Tire

- Deflation Sensors on All Vehicles • Receives Both 315MHz and 433MHz Signals
- · Reads Sensor ID, Tire Pressure, Temperature Battery Condition, and OE Part Number

• Programs Vehicle ECU

to Learn Sensor IDs

and Positions

- Intuitive Navigation and Step-by-Step On-Screen Instructions
- Saves Up to 10 TPMS Records for Future Data Review



AULTS601

• Reads, Records, and Playbacks TPMS Live Data Including

Tire Pressure, Signal Status, Temperature, and Battery Status Programs Vehicle ECU to Learn Sensor IDs and Positions

SKU **544586**

ATEVT56

OBDII Live Data - Displays, Records, and Playbacks Complete OBDII Vehicle Stream

Diagnostic TPMS Tool

Selects MMY via VIN Scan

• 98% Coverage on Vehicles Equipped With TPMS

• Comprehensive MMY Specific Re-Learn Procedures

REG: \$1,699.99

Offer Good Through December 31, 2016

While Supplies Last

Rubber Sensors SKU **290286** 315MHz AULMXSENS315M 433MHz AULMXSENS433M 315MHz AULMXSENS315R 433MHz AULMXSENS433R

Programmable and

• Built-In Training

Universal TPMS Sensors

315MHz / 433MHz Universal Programmable MX-Sensors

SKU **850650**

AULTS501K

 Built to Perform like OE Sensors in Terms of Signal, Durability and Functionality

• Reads/Clears Codes of TPM System • Activates Sensors

MaxiTPMS® TS501K Diagnostic

• Capable of Programming Single Tires

• Reset TPMS Malfunction Light

and Service Tool With 8 Sensors

- Robust Clamp-in Pivoting Stem Design Allows for 0-35 Degree Angle Adjustment to Fit All Wheels Types
- 2 SKU Sensor Solution Covers 98% of All OE Sensor

Metal Tip Sensors SKU **080038**

SKU **080039**





TECH 400 PRO **TPMS Scan Tool**

- **☑** Easy to Operate
- **☑** More OBD Relearns
- ☑ More Fault Code Detection
- ☑ Wireless Updating
- ☑ TPMS Placard Adjusting
- ☑ Wireless Inductive Charging
- ☑ Passive Key System testing



SERVICE requires a Serious TPMS











Tech400Pro - MAKE MORE MONEY SERVICING TPMS!







OVER 4,000 DIFFERENTIAL PARTS AT YOUR FINGERTIPS



RING & PINIONS



INSTALLATION & BEARING KITS

AXLES

LOCKERS & POSITRACTION

The Widest Selection of Differential Parts Available at





Tool & Equipment Quarterly

Wheel Weights



Complete Wheel Weight Program Available!

Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information.

Steel Wheel Weights

	wiicei weigiit						
AZ SKU Number	PART NUMBER	STYLE	QUANTITY	PRICE			
382853	AMM025PFEPK4	PFE, 0.25 Oz.	4 Boxes of 25	23.99			
382919	AMM050PFEPK4	PFE, 0.50 Oz.	4 Boxes of 25	24.99			
382920	AMM075PFEPK4	PFE, 0.75 Oz.	4 Boxes of 25	28.99			
382921	AMM100PFEPK3	PFE, 1.00 Oz.	3 Boxes of 25	27.99			
382922	AMM125PFEPK3	PFE, 1.25 Oz.	3 Boxes of 25	31.99			
382923	AMM150PFEPK3	PFE, 1.50 Oz.	3 Boxes of 25	34.99			
382924	AMM175PFEPK3	PFE, 1.75 Oz.	3 Boxes of 25	37.99			
382925	AMM200PFEPK3	PFE, 2.00 Oz.	3 Boxes of 25	39.99			
382926	AMM225PFEPK2	PFE, 2.25 Oz.	2 Boxes of 25	29.99			
382927	AMM250PFEPK2	PFE, 2.50 Oz	2 Boxes of 25	31.99			
382928	AMM275PFEPK2	PFE, 2.75 Oz.	2 Boxes of 25	32.99			
382841	AMM025MCFEPK4	MCFE, 0.25 Oz.	4 Boxes of 25	30.99			
382842	AMM050MCFEPK4	MCFE, 0.50 Oz.	4 Boxes of 25	34.99			
382843	AMM075MCFEPK4	MCFE, 0.75 Oz.	4 Boxes of 25	38.99			
382844	AMM100MCFEPK3	MCFE, 1.00 Oz.	3 Boxes of 25	33.99			
382845	AMM125MCFEPK3	MCFE, 1.25 Oz.	3 Boxes of 25	38.99			
382846	AMM150MCFEPK2	MCFE, 1.50 Oz.	2 Boxes of 25	30.99			
383004	AMM025TFEPK4	TFE, 0.25 Oz.	4 Boxes of 25	30.99			
383005	AMM050TFEPK3	TFE, 0.50 Oz.	3 Boxes of 25	27.99			
383021	AMM025ALFEPK4	ALFE, 0.25 Oz.	4 Boxes of 25	30.99			
383022	AMM050ALFEPK4	ALFE, 0.50 Oz.	4 Boxes of 25	34.99			
383129	AMM25LHFEPK3	LHFE, 0.25 Oz.	3 Boxes of 25	25.99			
383130	AMM50LHFEPK3	LHFE, 0.50 Oz.	3 Boxes of 25	27.99			
383038	AMM10GFNFEPK3	FNFE, 10g	3 Boxes of 25	28.99			
383039	AMM15GFNFEPK3	FNFE, 15g	3 Boxes of 25	30.99			
383107	AMM10GENFEPK4	ENFE, 10g	4 Boxes of 25	34.99			
383108	AMM15GENFEPK4	ENFE, 15g	4 Boxes of 25	37.99			
383118	AMM10GIWFEPK4	IWFE, 10g	4 Boxes of 25	34.99			
383119	AMM15GIWFEPK3	IWFE, 15g	3 Boxes of 25	30.99			
Tutus du Sunt - 1181-1181-1181-1							















Introducing Lead Wheel Weights*

BADA's Thinline Style Un-Coated Wheel Weights Are Designed for Steel Wheels On All Import and Domestic Passenger Cars, 1/2 Ton Trucks and All Mini Pickups and Vans With Standard .125" Flange

AZ SKU NUMBER	PART Number	SIZE (OUNCES)	QUANTITY	PRICE
752047	AMM5522025PK4	0.25	4 Boxes of 50	26.99
752041	AMM5522050PK4	0.50	4 Boxes of 50	33.99
752042	AMM5522075PK4	0.75	4 Boxes of 50	45.99
752043	AMM5522100PK3	1.00	3 Boxes of 50	40.99
752044	AMM5522125PK3	1.25	3 Boxes of 50	50.99
752045	AMM5522150PK2	1.50	2 Boxes of 50	39.99
752046	AMM5522175PK2	1.75	2 Boxes of 50	49.99
752048	AMM5522100200	2.00	1 Box of 50	29.99
752051	AMM5522100225	2.25	1 Box of 50	34.99
752053	AMM5522100250	2.50	1 Box of 50	36.99
752065	AMM5522100275	2.75	1 Box of 50	36.99
752066	AMM5522100300	3.00	1 Box of 50	41.99



• Applications: Import and Domestic Cars and Light-Trucks With Steel Wheels

*Due to environmental laws we are prohibited from supplying lead wheel weights to certain states.
If you are ordering lead wheel weights from one of the following states your order will not be processed: California, Maine, Vermont, New York, Virginia, Washington, Minnesota and Illinois. We do offer steel wheel weights as a suitable alternative to lead wheel weights.

Tape-A-Weight® Steel Wheel Weight

AZ SKU NUMBER	PART NUMBER	SIZE (OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lbs. Roll	54.99
019310	AMM5533701050	0.50	10 Lbs. Roll	54.99
019304	AMM5533600300	0.25	25 Strips - 12 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips - 7 Segments Each	54.99



Tape-A-Weight Roll Dispenser

SKU **019292** AMM5310025

Stand only, Weights Not Included

Steel Weight Starter Kits

Metal Floor Rack With 1,700 Steel Weight Assortment

SKU **383179** AMM5202075

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-a-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

Weight Replenishment Kit For 5202075 Steel

SKU **383180** AMM5202080

Bench Top Rack With 1,000 Coated Steel Weight Assortment SKU **383181**

AMM5202125 • Louvered Rack Can Be Placed on Top of Any Work Bench

• Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange



SKU **382825** AMM5202130



5 Gallon Bead Seater SKU **526505**

199 REG: \$199.99

- Seats Beads on All Tires, from Small 4" Tires to 24-1/2" Truck Tires
- Operates on Standard Shop Air; Max. 120 PSI
- Lip on Barrel Allows for Proper Angle for Correct

Bead Seating

Offer Good Through December 31, 2016 - While Supplies Last

10 Piece Torque

Limiting Socket Set (1/2" Drive) SKU **965855** 5099 24221

Prevents Under and Over Torquing

• Includes: 17 mm x 55 Ft/Lbs. 17 mm x 80 Ft/Lbs. 21 mm x 80 Ft/Lbs 19 mm - 3/4" x 100 Ft/Lbs. 19 mm - 3/4" x 65 Ft/Lbs.

19 mm - 3/4" x 80 Ft/Lbs. 22 mm - 7/8" x 120 Ft/Lbs. 22 mm - 7/8" x 140 Ft/Lbs.



Offer Good Through December 31, 2016 While Supplies Last

SAVE S10

16 Piece Locking Lug Master Kev Set

SKU **626107** 24447

1399 REG: \$99.99 Easily Removes Locking Lug Nuts on Most Aftermarket Wheels

Thin Wall Sockets Prevent Damaging Wheels and Lugs

- Double Hex-Head Design Fits Most Lug Wrenches as Well as 13/16" and
- · Chart Included
- · Comes in a Blow Mold Case

Offer Good Through December 31, 2016 - While Supplies Last

OFM TOOLS



OEM TOOLS

Tire Service Tools

OEM TOOLS **Torque Limiting Extension Set**

SKU **965858** 24220

- Quick, Simple and Accurate • Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/ Lbs., 80 Ft/Lbs., 100 Ft/Lbs., 120 Ft/ Lbs. and 140 Ft/Lbs.



8 Piece Torque Limiting Extension and Thin Wall Socket Set

SKU **347217** 24228

4 Piece.

Socket Set

SKU **965857**

3" Extension

24223

- (4) Extension Bars: 65 Ft/Lbs. (90 nm), 90 Ft/Lbs. (120 nm), 100 Ft/Lbs. (135 nm) and 110 Ft/Lbs. (150 nm)
- (4) Deep Sockets: 17, 19, 21 and 22 mm



Deep Thin Wall, SAE and

• Includes 3/4" - 13/16", 19 mm - 21 mm

and 7/8" - 15/16" Sockets and

Metric Impact Flip

While Supplies

OEM TOOLS

Coated Wheel Weights Used on Allov Wheels

SKU 818715 3499

24233

8 Piece Wheel

Makes the Job Faster and Easier Allowing the Tech to Safely Position the

Application: Mercedes, BMW, Audi,

Sizes Included: 12 mm x 1.5, 12 mm x

1.25, 14 mm x 1.25 and 14 mm x 1.75

VW, Porsche, Fiat and Dodge

Wheel Prior to Installing the Wheel Bolts

Stud Alignment Guide Kit

Wheel Weight

Hammer Tool

• Tool Installs, Removes, Trims and Tightens All

• Features a Special Plastic

Head for Safe, Mar-Free Installation of Specially

Material on Hammer

Types of Clip-On

Wheel Weights

SKU **217378** 25690

OEM TOOLS 3 Piece. Extra Thin Wall, Wheel/ **Nut Protector Impact Socket Set**

SKU **094646** 25583

• 17 mm / 11/16" – Blue

- 19 mm / 3/4" Yellow
- 21 mm / 13/16" Red



OEM TOOLS 3 Piece **Super Strength Wheel Nut Impact Socket Set**

SKU **347212** 24227

• Color Coded for Easy Size Identification Blue - 17 mm Gold - 19 mm and Red - 21 mm





Standard Thin Wall Sockets

9 Piece Wheel **Lock Removal Impact Socket Set** SKU **965865**

24225

• Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Nut Remover, Large Wheel Cover Lock Remover Remover for Stripped 18 mm Luc Nuts, GM "M" and "F" Body

Wheel Stud

SKU **339123 1099**

• Works With Hubs, Rotors and Axles on

Both Front and Rear Wheel Drive Vehicles

Prevents Damage to Lug Nut or New Stud

Designed to Fit Studs up to 14 mm or 9/16"

Installer

24234



9 Piece. OEM TOOLS Thin Wall, Wheel Protector **Impact Socket Set**

SKU **965856** 24224

- Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage
- Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



Truck Wheel OMMOUS Stud Installer

SKU **339117** 24235

2 Piece

Tool Set

SKU **255622**

Firm Grip

• Includes 2

and 4" Tools

VCTSET

Valve Core

• For Inserting or

Removing Valve Cores

Handles That Provide

• Ergonomic Shaped

• Designed to Work on Truck Wheel Studs Up To 22 Mm (7/8") in Diameter

• Use With an Impact Wrench or ratchet



OEM TOOLS

Removal Tool Kit

SKU **479984**

Spare Tire

THX497X • Kit Includes a Hand Crank and (6)

Different Zinc Plated Steel Tools to Fit Most Pick-Ups, Vans and SUV-Type Vehicles



Wheel Stud OM TOOLS **Installer Set for Cars and Trucks**

SKU **339125 1099** 24236

• Set Includes Both 24234 Wheel Stud Installer and 24235 Truck Wheel Stud Installers

• 2 Tools to Work on Both Car and Truck Studs Up to 22 Mm (7/8") In Diameter

• Use With an Impact Wrench or ratchet

Tire Tube Test Tank

SKU **291382** LIS19822



- Tank Features Reinforcement Ribs for Extra Support • Will Handle Passenger Tire Sizes to
- Wide Oval and Light Duty Truck Tires Dimensions
- 31" (L) 12" (W) 12" (H)



