AUTOMOTIVE LIFTS



CL Challenger Lifts

Challenger E10 10,000 Lbs. 2 Post Lift

CHLLE10

SKU **435061**

• 3-Stage Front Arms and 2-Stage Rear Arms for Asymmetric or Symmetric Lifting in the Same Service Bay, Uni-Body Design Vehicles, Vehicles with Designated Outside Lift Points, Wider Vehicles, Low Profile Vehicles and Both Short and Long Wheelbases

- Double Telescoping Screw Pads with Rubber Foot Pads
- Rubber Door Guards Protect Vehicle from Door Damage
- 11' 11-7/8" Standard Height Fits in Service Bay with 12' Ceiling Height

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Truck Adapters Included

10,000 Lbs. Dual Width **Clearfloor 2 Post Lift, Screw Pad**

• Expandable Top Beam Accommodates Wide or Narrow Drive-Thru Configuration

• Double Telescoping Screw Pads Offer Increased Versatility

• Overall Height: 145'

Symmetric SKU 296968 BENXPR-10S

Inside Columns

105.5" - 118.5" Asymmetric SKU **297001** BENXPR-10AS

• Inside Columns: 104" - 112"

Symmetric Low-Pro Arms SKU **296983** BENXPR-10S-LP

• Inside Columns: 105-1/2"-118-1/2"

Asymmetric Low-Pro Arms SKU **297003** BENXPR-10ASLP

SKU **298485**

CHLCL10V3

Versymmetric **3 Stage Arms**

• Column Height: 11' 8"

• Floor to Overhead

Switch: 134-1/2"

• Drive-Thru Clearance: 100" / 104 -1/2

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

12,000 Lbs. 2 Post Lift

• Drop-End Arms Provide a Lower

Clearfloor, Triple-Telescope Arms

• Ceiling Height Required: 12'

SKII 296957

BENXPR-12CL

Pad Height

• Triple-Telescoping

Front and Rear Arms

• Height Overall: 170"

• Inside Columns: 120'

• Adjustable Width Overall: 11' 6-1/2" / 11' 11'

• Inside Columns: 104" - 112"

10.000 Lbs. 2 Post Lift

Five Years (60 Months) Warranty on the lift structure

One Year (12 Months) Warranty on operating components One Year (12 Months) Labor Warranty One Year (12 Months) Free-Shipping* on ground-freight charges related to warranty performance

BendPak

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown





Two Years (24 Months) Warranty on the hydraulic cylinder(s) and power unit

Free-shipping applies to direct shipping points within the 48 continenta United States. Rural area shipping surcharge may apply for remote addresses. See BendPak.com for specific terms of warranty.

CL Cha*ll*enger Lifts

Versymmetric®

Technology ¹

Designed to Lift Anything from a

Compact Car to a

Full Size Truck

: BendPak

10,000 Lbs. 2 Post Lift

SKU **499657**

• Low Profile 3-5/8" Min. Adapter Height Spot-Rite™ 3 Stage Front Arms for

- Symmetric and Asymmetric Lifting • Overall Height: 143-3/8"
- Overall Floor Width: 137
- Maximum Lifting Height: 76"
- Inside Column Width: 115" • Drive-Thru Clearance: 105"
- Minimum Ceiling Height: 144"



Versatile Spot Rite 3-Stage Arms Provide asier Spotting and Asymmetric FORWARD

FORMARD

3-Stage Front

Brigadier D-10 ACX

• Lifting Capacity: 10,000 Lbs. (4,546 Kg)

• Overall Height: 145" (3,683 mm)

Width Between Columns: 112-3/4'

• Overall Width (Outside of

• Maximum Lifting Height

(Pad and 6" Adapter):

• Drive-Thru Clearance:

• Motor: 220 VAC 60Hz. 1Ph

(Truck Adapters Included)

Challenger SA10

2 Post Vehicle Lift

• Can Be Configured in Either the

• 3 Stage Front Arms Provide

Double Telescoping Screw Pads to Minimize the Need

Truck Adapters Included

2 Post Heavy Duty Lift

2-Stage Telescoping Arms Provide Excellent Reach to Accommodate

Vehicle Lifting Points

Heavy-Duty Telescoping

Column Height

Screw Pads

13' 10" or 14' 7" Adjustable

Asymmetrical Column Orientation

Challenger E12 12,000 Lbs. Challenger Lifts

Greater Overall Arm Sweep

Symmetric or Asymmetric Position

10.000 Lbs.

SKU **847098**

for Adapters

Symmetrical Column Orientation

SKU **344994**

CHLE12

CHLSA10

Base Plates): 143-1/2'

• Rise: 69" (1,753 mm)

79" (2 007 mm)

100-1/2"

SKU **186433** DAN1375647

Asymmetric

Dannmar^{*}

CL Challenger Lifts

10,000 Lbs. F10 2 Post Lift SKU **818779**

FORF10N100MBL

• Low Profile/Oversized Pads to Raise Most Vehicles

• Includes (4) 3-1/2" and 5" Adapter Extenders

• Warranty: 60 Days Labor, 18 Months Parts, 5 Years Structural

You to Choose Symmetric or • 3 Stage Front Arms for Symmetric and Asymmetric Lifting Lifting Price Does Not Include Installation of Optional Equipment as Shown

10.000 Lbs. 2 Post Lifts

SKU **534581** ROTSPOA10

ROTSP010 4,08999

SKU 210371

4,08999

Asymmetrical • Surface Mounted, Frame

Contact Lift • Features Electric Hydraulic Operation and Genuine Symmetrical Design for Overhead

Design for Clear Floor Lift • Factory Rotated Columns Allow Doors of Vehicle to Be Fully Opened While Properly Positioned on Lift

• Arm Restraints on All Arms



Challenger CL12, 12,000 Lbs. Challenger Lifts 2 Post Symmetric Lift

SKU **750127** CHLCL12

• Lifts Heavy Duty PU's to Small Sedans

12,000 Lbs. F12N300 2 Post Lift

FORF12N300BL 4,29999

Accommodates Trucks and Many Cars

• Warranty: 60 Days Labor, 18 Months

• Includes Four 3-1/2" and 5" Adapter Extenders

• 2 Stage Arms Reach: 35" to 54"

• Low Profile 4-3/4" Adapters

Parts, 5 Years Structural

Height Configurations of 11'- 10", 12'-10", and 14'-10" are Available

- 3 Stage Front and 3 Stage Rear Arms Provide Greater Extension and Retraction
- Rise Height: 84-3/4" (2153 mm)
- Ceiling Height Required:







18.000 Lbs.

2 Post Lift SKU OUTSIDE BUY/EPO

FORDP18N000BL

• Includes Truck Adapter Extensions

Low Profile Arms

• Overall Height: 154-3/4"

• Overall Width: 154-3/8" • Rise: 83"



Included)



FORMARD

12,000 Lbs. I12N300 2-Post Lift

SKU **818755** Truck Adapters Included

FORI12N300BL

Front and **Rear Arms**

BendPak

15,000 Lbs. 2 Post Lift, **Clearfloor, Standard Arms** SKU **296916**

BENXPR-15CL • Taller Column Height Provides Greate Overhead Clearance

• Versatile Drop-In Contact Pads with Stackable 8 Piece Truck and Van Adapters

- Frame Cradle Pads Come Standard • Two-Stage Telescoping Front and Rear Arms • Overall Height: 170"
- Inside Columns: 120

(Truck Adapters Included)

Clearfloor, Standard Arms SKU **296884** BENXPR-18CL Taller Column Height Provides Great

18,000 Lbs. 2 Post Lift,

Overhead Clearance • Versatile Drop-In Contact Pads with Stackable 8 Piece Truck and Van Adapters

• Frame Cradle Pads Come Standard • Two-Stage Telescoping Front and

Rear Arms • Overall Height: 170'

• Inside Columns: 120'





3 BendPak



(Truck Adapters Included)

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.[†]

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment QUARTERLY

2 Post Floor Plate Lifts

D-9/X 9,000 Lbs. **2 Post Lift** SKU **186430**

DAN1375646

- Perfect for Shops and Garages with Height Restrictions
- Truck and Van Adapter
- Overall Height: 113"

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate

SKU **296950** BENXPR-9DS

- Adjustable Width Design Configures for Wide or Narrow Installation
- Direct-Drive Lifting System Eliminates Chains and Pulleys
- Large, 20" x 19" Steel Base Plates
- Overall Height: 145"
- Inside Columns: 105"-118"

(Truck Adapters Included)



Low Ceilings



BendPak.

Dual-Width. 9.000 Lbs. 2 Post Lift, Floor Plate, **Short Lift**

BENXPR-9S

SKU **296813**

- Shorter Columns for Low-Ceiling Installations
- Adjustable Width Design Configures for Wide or Narrow Installation
- Large, 20" x 19" Steel Base Plates
- Overall Height: 113" • Inside Columns: 105"-118"

(Truck Adapters Included)



BendPak.

BendPak Low-Profile Arms. Dual-Width, 9,000 Lbs. 2 Post Lift, Floor Plate, Short Lift

SKU **296927** BENXPR-9S-LP

• Shorter Columns for Low-Ceiling Installations

• Adjustable Width Design Configures for Wide or Narrow Installation

• Telescoping Low-Pro™ Arms Accommodate

Lowered Sports Cars • Large, 20" x 19" Steel Base Plates



Adapters Included)



SKU **499660** FORBP9

• Overall Height: 111-1/4" (2,826 mm)

- Minimum Ceiling Height: 113" • Overall Width: 138-1/2" (3,518 mm)
- Minimum Adapter Height: 3-1/2"
- Adapter Extenders Included
- ETL Certified



CL Challenger Lifts Challenger **CLFP9 9,000 Lbs. Floor Plate** 2 Post Lift

SKU **851779** CHLCLFP9

- 3 Stage Front and Rear Arms Provide Excellent Reach to Lift a Variety of Vehicles
- Drive-Thru Clearance: 98-3/16"
- Minimum Ceiling Height: 121-7/8"
- Double Telescoping Screw Pads Adjust to Multiple Heights Minimizing the Need for Adapters



BendPak 12.000 Lbs. Floorplate, Direct-Drive 2 Post Lift SKU **297199** BENXPR-12FDL

- Open-Top Eliminates Overhead Obstruction
- Versatile Drop-In Contact Pads with Stackable 8-Piece Truck and Van Adapters
- Frame Cradle Pads Come Standard
- Triple-Telescoping, Low-Profile Arms • Overall Height: 144"
- Inside Columns: 118'



QuickCycle™: Rise Time 27 Seconds!

BD BendPak

BendPak

CL10 Versymmetric® 10,000 Lbs. **2 Post Dual Pendant** Controls QuickCycle™ Lift

CHLIOV3DPCQC **5,399**99

- Featuring Dual Pendant Control System Operate Lift from Either Column
- Versymmetric 3 Stage Front and 3 Stage Rear Arms • Safely Lift Everything from Small Sedans to
- Trucks and SUVs
- Comes Standard with a Full Set of Adapters and Adjustable Foot Pads



Express Solution CL10-XP9 9,Ö00 Lbs. QuickCycle™ 2 Post Pad Lift

SKU **851783** CHLCL10XP9QC

- 2-1/4" Platform Height
- Open Front and Rear for Complete Vehicle Access
- Comes Standard with a Full Set of Rubber Spotting Blocks







2 Post Lift Accessories

Rubber 2 Post Lift Pad/ Slip Over/ Round - 1 Each

SKU 343396 245



Square Rubber Arm Pads - 1 Each

SKU **898880**



- BEN5715365 Works with Any BendPak 2 Post Lift
- 5-5/8" Square

Frame Cradle

• 1-1/16" Thick



Pad - 1 Each SKU **466304** BEN5215506





Cradle Pad - 1 Each SKU **289999** DAN119527



Door Bumper Kit SKU **568451** FORTPB10-D1

I10 2 Post Carriage

• Use with Forward FORI10



FORMARD

Round Rubber Lift Pad Assembly Drop-In - 1 Each

SKU **343397** BEN5215507 • Works with Any BendPak

- 2 Post Lift • 1 Lift Pad, Sold Individually • 5" Diameter for
- **Enhanced Stability** • Easy Drop-In Design



I10 Rubber Adapter Pad Kit SKU **568440**

FOR994105 • Use with Forward FORI10



I10 2 Post Lift Adjustable Adapters - Set of 4 SKU **568450**

FORT100285 • Use with Forward FORI10

- Included Rubber Pad Eliminates Metal to Metal Contact
- Adapters Designed to Cradle Frames





Don't Let the Tire Make You Tired!

Omega Wheel Arm™ SKU **573207** OMG92100

• Holds the Tire at Lift Arm Height and is Handy with Tire Rotations and Brake Jobs

- Mechanics to Put On or Take Off Tires Avoid Bending Over to Put Down or Pick Up a Tire
- Fits Most Lift Arms 3" - 5" Wide • Set Includes (2)

· Easy and Safe for

Wheel Arms and (2) Magnetic Tool Travs While Supplies Last





BendPak

4 Post Lift Accessories

2 Drip Trays

Series Lift Only

BENDP-30

SKU **301768** BEN5700301

Caster Wheel Set

SKU **898905** BEN5210997 • For Use on HD-9

Rolling Oil Drain SKU **898714**

- Adjustable Width
- 15 Gallon Capacity



Free Delivery!

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

Leasing Terms Available.

AUTOMOTIVE LIFTS



Caster Set SKU **264473** Rolling Jacks Sold Separatel Rolling Jacks Sold Separately CHLQ4P09CS WELLWITH WELLWITH WELLWITH WILWITH Warr Mitth RJ-45 4,500 Lbs. 4.500 Lbs. Hand/Hvdraulic 3,500 Lbs. RJ35BK 4.500 Lbs. **3,500 Lbs. Hand/Hydraulic** Operated Rolling Jack **Operated Rolling Jack Capacity Rolling Rolling Jack Hand Pump Rolling Jack Bridge Jack** SKU **568432 9999** FORRRJ45G SKU **264841** SKU **818764** SKU **383186** CHLQRJ04H FORRJ35BK SKU **898534** CHLQRJ03H BENRJ-45 Free Delivery!

Leasing Terms Available.† Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-loading Equipment Upon Arrival.

WELL WITH

Jack Platform

SKU 186438

DAN119442

Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

Tool & Equipment Quarterly

Lift Accessories

Air/Electric **Workstation for** 2 and 4 Post Lift

SKU **751635** DAN1980999

· Add 20 Amp Outlets, Air Functionality and Tool/Line Holders by Attaching This Workstation to Your 2 and 4 Post Lift



Air/Electric Workstation

SKU **898684** BENWSA-100

- Adds Air and Electric Capabilities to Any BendPak Lift Simple
- Safe and Extremely Easy-to-Use • (4) 110V GFI Outlets, Oiler, Air Supply, Pressure Gauge,
- Storage Hooks for Hose and Tools, Regulator/Filter, Air Inlet • Fits 2 or 4 Post Lifts

Dannmar

You Will Need to Know BendPak Lift Model # When Ordering



Air/Electric **Workstation** for 2 and 4 Post Lifts

SKU **263294** CHL10310

- Convenient Power Source for Extension Lights and Other Tools
- Air Supply Will Always Be at Arms Reach for Facilities Using Pneumatic Tools Such as Impact Wrenches



F0R991359 • Use with Forward FORI10

• Air/Electric Workstation with Air Regulator and Oiler

Does Not Include Hose and Air Gun



BendPak

Price Does Not Include Installation or Optional Equipment as Shown

Dannmar*

Mid-Rise Lifts

Cadet-6000XL

SKU **555446**

DAN1375652

- For Servicing Light-Duty Cars and Trucks
- Portable Motor Cart Serves as Tow Handle Adjustable Arm Assemblies
- Safety Bar with Multiple Lock Positions



Lift Gate Service SKU 262534 DANLIFTGATE 1000



CL Challenger Lifts 6.000 Lbs. **Portable Mid Rise Lift**

SKU **264835** 2,09999 CHLQMR6

• Rise Height: 53-1/4"

• Includes Both 3" and 6-7/8" Adapters

Price Does Not Include Vehicles, Installation or Optional Equipment



6,000 Lbs. Surface Mount **Mid-Rise Pad Lift**

SKU **079537** SKU **079537**BENMDS-6K **2,44999**

• For Servicing Passenger Cars, SUVs and Light-Trucks

• Lifting Height (Less Lift Blocks): 44" • Comes with Four Rubber Contact

Blocks Providing Fast Vehicle Set-Up 6,000 Lbs. Flush Mount

Mid-Rise Pad Lift SKU **079653**

BENMDS-6KF

- Fully Open Center Design for Servicing Passenger Cars, SUVs and Light-Trucks
- Lifting Height (Less Lift Blocks): 44" (4.25" for Sub Floor)
- Includes Four Rubber Contact Blocks Providing Fast Vehicle Set-Up

6.000 Lbs. Mid-Rise Lift

SKU **499655** FOR6000MRL

- Width: 41"
- Rise: 52"
- Length: 83" • Multiple Locking Positions
- Truck Adapters Included Lift Gate Service

SKU 626137 FORLIFTGATE 9500 Price Does Not Include Vehicles, Installation of Optional Equipment as



• Adjustable Arms Lift Gate Service SKU 262533 RANLIFTGATE 13500

> (Truck Adapters Included)

6,000 Lbs. Portable

Mid-Rise Lift

• Portable, Easy to

Move from Bay-to-Bay

SKU **210386**

BENMD-6XP




Power Unit Plugs into 110v Outlet



MaxJax™

SKU **186434** DAN1375659



- Built-In Wheels That Allow You to Store it Out of the Way When Not in Use
- Max. Lift Height (with 3" Adapter): 52"

Lift Gate Service SKU 262534 DANLIFTGATE 10000

FORMARD



BendPak

QUICKJACK

Low-Rise Lifts

6,000 Lbs. **Low-Rise Pad Lift**

SKU **210383** BENLR-60

- Max. Height: 26" • Overall Width: 70"
- Overall Length: 82" Lift Gate Service

SKU 262533 RANLIFTGATE 13500

BendPak

Portable SKU **210384**

- BENLR-60P • Max. Height: 26"
- Overall Width: 70-1/2" • Overall Length: 82'



7.000 Lbs. **Low-Rise Pad Lift** SKU **568436**

FORTL07 • Wired to Plug Into

115V Receptacle

• Max. Rise: 24-3/4"

Lift Gate Service SKU 626137 FORLIFTGATE 9500





10.000 Lbs. **Low-Rise Pad Lift**

SKU **479989** BENLR-5T

• Max. Height: 23" - 32"

• Lowered Height: 4"

· Lift Blocks Included



QuickJack™

5,000 Lbs. QuickJack™ Car **Jack Support System**

SKU **850896** RANBL5000SLXA (110V AC)

• Complete Package Includes: (2) Jack Frame Assemblies, (2) 150" Hydraulic Hoses, (2) 14" Aux. Hoses, (2) Quick-Mount Handles, (4) 1.5" X 3" X 4" Rubber Lifting Blocks, (4) 3" X 3" X 4" Rubber Lifting Blocks, (1) Mini Hydraulic Power Unit with Pendant Control



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown.

3.500 Lbs. OuickJack™ SKU **850894**

RANBL3500SLXA (110V AC)

7,000 Lbs. QuickJack™ RANBL7000SLXA (110V AC) 1,48999

12V DC Option Available OuickJack™ SUV and **Light Truck Adapters**

SKU **862288** RAN5150561

· Set of 12 Pieces

• Fits BL-5000 and BL-7000 Series • Complete Kit Includes: (4) Low-Profile Round Polyurethane Contact Pads (4) Sliding Receivers Accommodate the Round Polyurethane Contact Pads (4) 3" Stackable Adapters



SPECIFICATIONS: BL-3500SLX BL-7000SLX BL-5000SLX 7,000 Lbs. / 3175 kg. Weight Capacity / Pair 3,500 Lbs. / 1588 kg. 5,000 Lbs. / 2268 kg 60 Lbs. / 27 kg. 76 Lbs. / 34 kg. 91 Lbs. / 41 kg Individual Frame Weight: 17.2" / 437 mm. Platform Lifting Height (Frame Only) 16.5" / 419 mm 17.7" / 450 mm. Platform Lifting Height (W/Blocks) 20" / 508 mm. 22.5" / 572 mm. 21.2" / 538 mm. Minimum Collapsed Height 3" / 76 mm. 3" / 76 mm. 3.5" / 89 mm. Rubber Block Position Min 26.7" / 678 mm. 31.5" / 800 mm. 31.5" / 800 mm 60" / 1524 mm. Rubber Block Position Max 50.5" / 1283 mm. 60" / 1524 mm. 10.5" / 267 mm. 12.5" / 318 mm. 11" / 278 mm 72.5" / 1841 mm. 72.5" / 1841 mm 62" / 1575 mm. Frame Length Lifting Time 10 seconds 15-30 seconds 15-30 seconds

Motorcycle Lifts

Motorcycle Jack

SKU **568452** FORBJ10

• Use with Forward FOR100MCL



1.000 Lbs. **Air Operated Motorcycle Lift**

SKU **499659** FOR1000MCL

• Includes Wheel Vise and Two 12' Extensions, Making it Great for Motorcycles, ATVs, Lawn Mowers Golf Carts Etc. • Rise 33", Length 93",

Lift Gate Service SKU 626137 FORLIFTGATE 9500

Width 24", Width with

ATV Adapters 48"

FORMARD

1,000 Lbs. Droptail **Motorcycle Lift** SKU **568439**

• FORBJ10 Included Rise 33" Length 93"

Width 24" Lift Gate Service

FORLIFTGATE 9500

FOR1000MCLDT

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



FORMARD

Motorcycle Lift SKU **626120** RANRML-1500XL

• Lifting Capacity: 1,500 Lbs. (682 kg)

- Power Supply: Air/Hydraulic
- Main Platform Length: 89" (2,286 mm)
- Main Platform Length with Front Extension: 102" (2,591 mm) • Main Platform Width: 30" (762 mm)



Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Ranger

Tool & Equipment Quarterly

Price Does Not Include Installation or Optional Equipment as Shown

TLT240SC-R lear Floor Model

Price Does Not Include Installation or

TLT2405B-R Floorplate Model

Aymmetic

Standard Asymmetric

Arm Configuration

Rotated Asymmetric

Arm Configuration



Tuxedo Distributors, LLC, is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 10 satellite warehouses strategically located across the US, we offer an unparalleled competitive advantage.

Call to place order! 817.558.9337 877.558.9337 Toll Free

TWO POST LIFTS

TLT240SC-R 2,09999 SKU 426404

TLT240SB-R

9,000lbs CAPACITY 1,99999

500 426403

- Overall Height: 151" (TLT240SC)
 Overall Width: Symon 154", Asymon 140" (TLT240SC)
 Overall Height: 113" (TLT240SB)
 Overall Width: 123" (TLT240SB)
 Ructer: Door Guards
 Hose Counts

 Hose Counts

- Hose Guards
 Etackable Feetpad Extensions Nur 3.5'
 Dual Point Lock Resease
 Heavy-Duty Arm Restraint System
 Boatle Telescoping Screw Pads
 Adjustable Column Worth (TLT240SC)
 Standard or Rotated Asymmetric Columns (TLT240SC)

LAUNCH

TLT210-XT-B

2,79999 10,000lbs CAPACITY

SKU 426407

- Overall Height: 140'
 Overall Whith: Symm 137', Asymm 136'
 Heavy Duly Arn Reshand System
 Adjustable Column Height
 Adjustable Column Width

- Outer Hose Guards
 Stackable Foot Pad Extensions four 6" and four 3"
- 3 Stage Front Arms
 Nubber Door Guards
 Single Point Lock Rele
- Standard or Rotated Asymmetric Arm Configuration
 Double Telescoping Science Pads

*Available in red and blue

LAUNCH TECH USA

TLT211AS-R

5KU 426408

- Overall Height: 143"
 Overall Width: System 137 8", Augman 138"
 Heavy-Duty Arm Restraint System.
- Adjustable Column Height
 Adjustable Column Width
- Outer Hose Guards
- Stackable Foot Pad Extensions four 6" and four 3"
 Heavy-Cuty Arm Resmaint System
- Rubber Door Guards
- Standard Asymmetric
- Double Telescoping Screw Pads

'Available in red and blue

TP15KCX

SKI 426389

- Overall Height 180'
 Overall Width, 148"
- * Padded Overhead shut-off box
- . Dual Point Lock Release · Large 2' x3' Uses Plates for Stability
- Rubber Door Guards
- . Spin-Up Pads w/ 3" and 5" Stackable
- ov Duty Arm R
- · Powder-Coated finish



Price Does Not Include Installation or

трэкасх 1,849⁹⁹

9,000lbs CAPACITY SKU 426138

трэкгх 1,849⁹⁹

9,000lbs CAPACITY

- sku 426106
- Overall Height: 143' (TP9KACX)
 Overall Width: 138' (TP9KACX)
- Overall Height, 112" (TPSKFX) -Overall Width: 134.5" (TPSKFX)
- Chain Driven
 Dual cylinders with
- low triction chain rollers
- · Low profile arms . Spin Up Pads with 1-1/2" and 4" stack
- drop-in height adapters Padded over head shut off bar

- Powder-Coated Finish
 Rubber Door Guards



TP11KC-DX 2,59999

11,000lbs CAPACITY SKU 426140

- Direct "Pull" Cylinders
 Overall Height: 145"
- Overall Width: 145-1/2"
- 3 Stage Front Arms, Low Profile Arms Asymmetric/ Symmetric Arm Configuration
- · Symmetric Columns
- Single Point Lock Release
- Rubber Door Guards
 Spin Up Pads with 2" and 4" stackable drop in Height Adapters
- Powder-Coated Finish
 Padded Overhead shut off bar



SKU 426331

- Overall Height 165"
 Overall Width: 151-1-8"
 Direct Push Drive Cylinders
 Extra Long (46") carnage
- Padded Overhead shut off bar
 Single Point Pneumatic Lock Release
 2-1/2" and 5" Stackable Drop in Adapters
- · Powder-Coated finish



Price Does Not Include Installation or Optional Equipment as Shown





BI-SYMMETRIC ™ DESIGN

configuration with 180 degree

front arm rotation

FP8K-DX 8,000lbs CAPACITY

SKU 426414

- Overall Height 86-1/4* Overall Weight 103-1/2*
- Overalt Length: 207-1/6"
 Ladder lock safety syste
- Extra-large slider blocks for added stability
- 10 Lock Positions Aircraft quality cables
- Single Point Lnck Release
 10" Wide non-skid, diamond plate runways.
- . Poly Casters, Jack Tray, Drip Trays, and Approach

Price Does Not Include Installation or Optiona Equipment as Shown



SERVICE LIFT



FP14K-C 14,000lbs CAPACITY

- SKU 426438
- Overall Height: 65-7/8"
 Overall Width: 130-3/4"
 Overall Length: 250-1/2"
- Cable Driven
 Closed Front
- Single point pneumatic safety release
- 20" wide non-skid, diamond plate runways.
 Mounting Hardware included
- Powder-Coated Finish

Also sold as an Alignment Lift



BRIDGE JACK

Price Does Not Include Installation

RAJ-8K-L SKU 426452

4,74999

Universal Roller Body Design widual 'spring loaded' precision roller bearing and Side Guide Wheels wisdjustable Height for Low, Medium, and High Ja

- Rolls on top edge of Jack Rail for smooth maneuverability Dual Height Telescoping Support Arms
- Presumatic operation wiladjustable Pressure Regulato
- Stackable Pad and Height Adapters 1 5/16" and 5" (1 Pair each). Dual Air Bogs



Bridge Jacks sold seperately

FP14KO-A SKU 426445

- Overall Wide: 130
- Width Between Post: 116"
 Column Height: 92"

IWA-60-1500-K

Mobile Multi-Bay Capable
 Non-proprietary Windows PC
 Wireless Internet Connection
 German Engineered Alignment

Advanced Alignment Measurements with Reading/Specifications and Cross

592176

Software

- Litting Height: 73"
 Open Front Design
- Extended Length / Extended Wheel base

6,99999

ALIGNMENT LIFT

- Cable Driven
 Powder-Coated finish
 20" wide non-skid, diamond.
- prate run-rays

 Fully adjustable lock stops for easy

ALIGNER

- Hustration Diagrams
 Integrated Help Syste
- Non-proprietary Windows PC
 Works with multiple style sign
- Expert USA technical support
 UPS with MrR included
- Comprehensive Database 25+ Spec



Tuxedo Distributors, LLC, is a leading importer of high quality automotive repair equipment offering a full line of automotive equipment at an economical price. With our 10 satellite warehouses strategically located across the US, we offer an unparalleled competitive advantage.

4,39999

Price Does Not Include Installation or Optional Equipment as Shown

Call to place order! 817.558.9337 877.558.9337 Toll Free

WHEEL SERVICE

1,34999

Semi-Automatic TireChanger

- SKU 426751

Price Does Not Included installation or Opting Equipment as Sho Price Does Not Include Installation or Optional Equipment as Shown

Semi-Automatic 1,49999

SKU 426755

- accidental damage Conveniently located and powerful bead breaker

Price Does Not Include Installation



- SKU 426761
 - Max Wheel Diameter: 41'
 Ries Width: 3" 15"
 Ron Diameter: 11" 24" Lever loss Design allows for user safety and convenience

TC-1300

TC-980

TireChanger SKU 426758

Max Wheel Diameter: 47-1/4"
 Rim Width: 3" - 15"
 Rim Diameter: 15" - 26"

Working Pressure: 8-10 bar

Deluxe.

· Large tire

· Tilt back

Fully automatic
 Double arm

- . Powerful disal beind blaster jets. Inhation hose and air gauge
- Tilt back column leaves ample room for operation

 3 function assist arm adds
- versatility in dismounting low



WB-953

HighPerformance WheelBalancer

SKU 426803

- Max Wheel Diameter
 Rim Width: 1.5" 20"
- Rim Diameter, 10" 24"
- Wheel Weight Capacity, 150 the
 Self-calibrating, Self-diagnosis
- Optimization program

1,09999

Optional motorcycle

- Static balancing Three centering cones
- Hood, hammer, speed nut and caliper come standard

Price Does Not Include Installation or Optional Equipment as Shown



Max Wheel Clameter: 4
 Ran Width: 3" - 15"
 Rom Discreter: 15" - 26"

- Working Pressure: 8-10 bar
 Swing arm design
 No scratching: Mactime contacts ran eliminating



Price Does Not Include Installation or Optional Equipment as Shown

Additional charges for lift gate delivery may apply.

9,99999

Price Does Not Include Installation or Optional Equipment as Shown

WB-CB66-VE

High Performance Large Wheel Balancer

- SKU 592163
- Keypod Data Entry
 Max Wheel Diameter: 44"
 Forn Wette: 1.5" 20"
- Rim Diameter: 8" 28"
 Whil Weight Cap: 150ths
- Accuracy: 1 gram
 Three centering cones

- Hood, hammer, speed nut, and caliper come standard
 Multi-Mode Balancing for SUV Car & Motorcyte Laser and Light indicators for unbalanced wheel
- weight positions

 Foot Brake for accurate weight applications



Price Does Not Include Installation or Optional Equipment as Shown

TC-950WPA

HighPerformance TireChanger withPress Arm sau 426757

- Internal Clamping Capacity: 15" 26"
 External Clamping Capacity: 13" 24"
 Max Wheel Clameter: 47"
 Wheel Width: 3" 15"
- Swing arm design Bead seating inflation jets are

- integrated in the clamping pairs.

 Twin clamping cylinders provide
 more power to hold the most difficult rims.

 Conveniently tocated and powerful bead breaker.

 Large diameter has mountifermount shall for extra ngidity.

- Left side press arm (WPA)
 Ideal for low profile tires (WPA)
- No scratching, machine never contacts run (WFA)

FRAME MACHINES

Tubular / 18' 500 592192

Steel Plate / 20 13,799 99 SKU 592195

10,999%

- Lifting Capacity: 7,700 bs.
 Deck Length: 18 / 20
 Deck Width: 82.6*

- Required Air Power: 100 120 PSI
 Designed to accommodate
- Full-frame or Uni-body type venicle
 Hydrautic Tilt Deck operation
 Universal Anchoring System
 Clear Floor, 360 degree

- Twin 10 Ton round Pull Towers whelescoping Tower-Heads

FR-55

- Overall Length: 173.25
- Deck Length: 123.62"
 Deck Width: 37"
- Tower Pull Force: 10 Ton
 Tower Air/Hydraulic Max Pressure: 10,000 PSI
- · Unique, Compact & Versatlir design
- Hydrautic Cylinders Remote 'hand held' pendant for lift



WB-448

Heavy Duty Truck Wheel Balancer SKU 426811

- Max Wheel Diameter: 47"
- · Rim Width: 1.5" 20"
- Rim Diameter: 10" 24"
 Wheel Weight Capacity: 256 the
- Self-calibrating: Self-diagnosis
 Preumatic Wheel lift included Foot brake for manual stop
- Capable of balancing a full range of wheels
 Car and Truck cones come standard



MOBILE COLUMN

Steel Plate / 18' 12,799'99 SKU **426651**

10,4999

Price Does Not Include Installation or Optional Equipment as Shown

- Deck Height 19.7
 Pull Force Per Tower: 10 Ton

- **Pulling Capability**

Scissor Lift Frame Rack Machine

SKU 426649

- Lifting Capacity, 5,500 lbs.
- Deck Heights 4.75" to 63"
- Console Electrical Power: 220VAC 20 Amp., 1 PH
- · Scissor Lift operation with Turin



MSC-6KLP

6,000 lbs Single Column Lift

- sa: 426460 Capacity: 6,000 lbs
- Width Overall: 45-3/16" Height Overall: 102-3/8
- · Length Overall: 101-9/16" · Improved Low Profile design with less than 4" minimum height!
- Pallet Style Operation
- Improved 'double telescoping' Screw Pads with
- 2-3/4" adjustable height!
- Single Point Lock Release Powder coal paint feish 110VAC / PN

Price Does Not Include Installation or Optional Equipment as Shown

Pallet Jack style hydraulics to raise lift onto wheels T. S. DONE TO BE

26Lx14Wx93H

PSB-SEMIDD26ASY-AK SKU 592189

Non-Spark, NEMA-RATED High Quality UL Listed lighting

Outside Dimension.

- fotures: (Bulbs Included) · Hip Roof Design for Optimal Lighting 5/16' Nut & Bolt Installation
- High Quality Intake and Exhaust Filters · Heavy Duty 16 Gauge Panel
- Tri-fold and Personnel Doors with Viewing Windows Powder Coated Finish (Inside and Out)
- All hardware included Detailed Instructions Optional Plenum Kit Sold Seperately
 - Price Does Not Include Installation or Optional Equipment on Share

13,999°°

'Optional Pienum Kit Shown




PSB-SDD26ASY-AK SIDE DOWNDRAFT PAINT SPRAY BOOTH SKU 592190

- Inside Dimension: 20L x 14W x 93'H Outside Dimension:
- Non-Spark, NEMA RATED
- 5/16" Nut & Bolt Installation
- blies Included - High Quality Intake and Exhaust Filters
- · Heavy Duty 18 Gauge Paner
- Tri-fold and Personnel Doors.
- with Viewing Windows.

 Powder Coated Finish (Inside and Out)

 UL Control Panel, limit switches and


Price Does Not Include Installation or Optional Equipment as Shown



2,99999

*Cottonal Plenum Kit Shown





- All hardware included Detailed Instructions
 Optionar Plenon XX Sold Seperately

Tool & Equipment Quarterly



PORTABLE LIFT

MaxJax™

SKU **186434** DAN1375659

- Lifting Capacity: 6,000-Lbs.
- Great for Garages with Low Ceiling Height
- 100% Portable





2-POST LIFTS

D-9/X

SKU**186430** DAN1375646

- Lift Capacity 9,000-Lbs.
- Floorplate Style
- Perfect for Shops and with Height Restrictions





Truck Adapters Included

D-10/ACX

- SKU 186433 DAN1375647 **2,499**99
- Lifting Capacity: 10,000-Lbs.
- Great for Passenger Cars & SUV's • Overall Height: 145"
- Rise: 69"
- Overall Width: 143-1/2"
- ASYMMETRIC WIDE

D-10/AC

SKU **186431 2,499 99** DAN1375648

- Overall Width: 130-1/2"
- ASYMMETRIC NARROW

D-10/CX

SKU 186432 DAN1375649 **2,499**99

- Great for Lifting Light Duty Trucks
- Overall Width: 145"
- SYMMETRIC WIDE





FRAME CRADLE PAD SET \$199.96 Value



Dannmar*
EQUIPMENT

SCISSOR LIFT

SX-6

SKU **555446** DAN1375652

- Lifting Capacity: 6,000-Lbs.
- 100% Portable • Perfect for Body, Repair &
- Tire Shops Safety Bar with Multiple Lock Positions

BONUS

8-GALLON OIL DRAIN \$99.99 Value



Dannmar[®]

WHEEL SERVICE

T-100 TIRE CHANGER SKU **547117** DAN1381202

- Ideal for Low Volume Shops • Entry Level and Easy to Use
- Wear-Resistant Tool Head
- Steel Jaw-Clamp Provides Solid Turn-Table Base
- High Torque Electric Turn-Table

Lift Gate Service SKU 262534 DANLIFTGATE 10000

D-7



B-100 WHEEL BALANCER

SKU **547121** DAN1381201

- Excels in Low Volume Shops
- Touch-Display Panel
- Easy and Fast Mounting Power-Saving Mode
- Includes Data Acquisition and Quick Nut Mounting



4-POST LIFTS

D-12

SKU **343410** DAN1375681

- Lifting Capacity: 12,000-Lbs. • Perfect for General Repairs
- Multi-Position Safety Locks in Each Column
- Max Rise: 66"

BONUS

AIR-ELEC WORKSTATION S219.99 Value



DRJ-6



AIRLINE KIT





SKU **752035** DAN17057064 **21999**


Price Does Not Include Vehicles, Installation or Optional Equipment as Shown

Dannmar* EQUIPMENT

SKU **186464 2,44 9 99** ROLLING BRIDGE JACK (2 Required) • Lifting Capacity: 7,000-Lbs.



Dannmar[®]







• Extended version of D-7

• Perfect for Parking & Storing Vehicles

• Spring-Loaded Safety Locks on Each

Price Does Not Include Vehicles, Installation or Optional Equipment as Shown



BONUS

8-GALLON OIL DRAIN \$99.99 Value

Dannmar₂

SHOP EQUIPMENT

8-GAL OIL DRAIN

SKU**186458** DAN122829

- 8-Gal Capacity
- Adjustable Height: 48"-67"



TRIPOD JACK STAND SKU **186457** DAN105430

- 2 Ton Capacity
- Extra Tall & Stable
- Min Height: 68.7" • Max Height: 76.7"



50' HOSE REEL SKU **343407** DAN116911

- 50' of 3/8 of Rubber Hose • Working Pressure: 250psi
- Max CFM: 25
- 4 Way Non-Snag Rollers



20-GAL OIL DRAIN SKU **343408** DAN122835

- 20-Gal Capacity
- 15" Drainage Funnel
- Includes Regulator and Gauge



TELESCOPING 2-STAGE TRANSMISSION JACK

DAN105452

SKU **186451**





ALIGNMENT LIFT

D-12/A

SKU **579870** DAN1375682

• Lifting Capacity: 12,000-Lbs. • Alignment Ready • Turn Plates & Slip Plates Included

Price Does Not Include Installation or Optional



LIFT ACCESSORIES

FRAME CRADLE PAD SKU **289999**

- For 2-Post Lifts • Tactile Rubber Mat
- Sturdy Steel Construction

• Resistant to Gouging

• Abrasion Resistant

• Tear Resistant

- **RND SLIP OVER PAD** SKU **752032** DAN17108252
- · Sold Individually



- Works with Any Lift • 4 110v GFI Outlets
- · Oiler, Air Supply, PSI Gauge, Storage Hooks for Hose and Tools, Air Inlet



LIFT PAD ASSY ROUND SKU **079518**

- DAN17107036
- Works with Dannmar 2-Post Lift • Thick Rubber Construction
- Easy Drop-In Design • 5" Diameter



- 14" x 13.5" x 2" · Smooth Bearings
- Sturdy Construction · Sold Individually



- Works with Dannmar D7
- Series Lifts Set of 3
- Intended for Oil & Water-Based Fluids



