

Tire Service

Tire Changers

Tilt Back 23" Capacity Tire Changer/NextGen™ Series

SKU 980172 RANR23LT **1,884⁹⁹**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**

Tilt Back 23" Capacity NextGen™ Series with Single Assist Tower

SKU 980171 RANR23AT **2,769⁹⁹**

- Turbo Blast Bead Seating System
- Drive System: Air/Electric 2HP Motor 110-220 Vac
- Internal Rim Clamping Capacity 11.5" to 24"
- External Rim Clamping Capacity 10" to 22"
- Maximum Tire Diameter 41"
- Turntable Mounting Capacities: 4" to 18"
- Tilt Back Tower for Greater Clearance
- Wheel Protection Package Included



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**

NextGen™ RimGuard™ 33" Double Bead Roller Power Assist Changer

SKU 312819 RANR30XLT **3,214⁹⁹**

- Wheel Clamping Method: 4 Internal / External Clamps
- Bead Breaking System: Pneumatic Blade
- Power Assist Towers: Integrated Center Post
- Powerful Bead Seating System: Turboblast / Bead Seating
- Internal Rim Clamping Capacity: 13" - 33" / 330 mm - 838 mm
- External Rim Clamping Capacity: 10" - 28" / 279 mm - 711 mm
- Turntable Tire Width Capacity Mount: 5" - 22" / 127 mm - 559 mm
- Bead breaker Tire Width Capacity Demount: 3" - 15" / 76 mm - 381 mm
- Maximum Tire Diameter: 50" / 1,270 mm



Lift Gate Service
SKU 262533 RANLIFTGATE **135⁰⁰**

Model 5035E Tire Changer

SKU 988892 AMM8047106 **3,429⁹⁹**

- Electric Drive Turntable for Reduced Noise
- Rim Diameter External: 12"-19" External
- Rim Diameter Internal: 15"-22" Internal
- Rim Width: 10" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



INCLUDES
Manufacturer's
Set-Up and Training

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

Model 5045E Tire Changer

SKU 988894 AMM8047107 **3,499⁹⁹**

- Rim Diameter External: 10"-21"
- Rim Diameter Internal: 12"-24"
- Rim Width: 10.5" Max
- Tire Diameter: 40" Max
- Includes: Lube Applicator, Lube Bottle, Bead Lift Tool, Hose with Air Chuck, Inflation Safety Limiter and Filter Lubricator



INCLUDES
Manufacturer's
Set-Up and Training

Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.

Model 70X Rim Clamp Tire Changer with Robo-Arm®

SKU 979911 (Air) AMM80070XAF3 **8,724⁹⁹** SKU 979917 (Electric) AMM80070XEF3 **8,724⁹⁹**

- Robo-Arm™ Assists in Top Bead Mounting for Stiff Sidewalls, Low Profiles and Run Flat Tires
- Rim Diameter External: 6" to 22"
- Rim Diameter Internal: 8" to 24"
- Rim Width: 14" Max
- Bead Loosening: Hand or Foot Controlled

INCLUDES
Manufacturer's
Set-Up and Training

BONUS
28" Grip Max Clamps
for Rim Clamp
Tire Changers
with Purchase of
AMM80070XAF3 or
AMM80070XEF3

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.



Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

Wheel Balancers

Model 775 Wheel Balancer

SKU 210246 AMM8500775 **3,249⁹⁹**

Model 875 Wheel Balancer

SKU 210248 AMM85008875 **4,314⁹⁹**

Model 1000 Wheel Balancer

SKU 212808 AMM85009045 **3,349⁹⁹**



Lift Gate Service
SKU 262529 AMMLIFTGATE **55⁰⁰**

1520 Tire Changer with 10"-20" Clamping

SKU 290001 HOFM1520110 **3,299⁹⁹**

- Overall Wheel Clamping Diameter 10" - 20"
- Inner-Wheel Clamping Diameter: 12" - 20"
- Outer-Wheel Clamping Diameter: 10" - 18"
- Bead Breaker Range: 2" - 13"
- Bead Loosening Power : 6,000 Lbs
- Maximum Wheel Width: 13"
- Maximum Outer Tire Diameter: 40"
- Work Area Dimensions: (DxWxH) 72"x68"x85"
- Air Requirements: 100 to 175 PSI @ 5 CFM
- Power Requirements: 120V, 1Ph, 60HZ



Lift Gate Service
SKU 290017 HOFLIFTGATE **95⁰⁰**

2350 Wheel Balancer With 10 Balancing Modes

SKU 290002 HOFEEWB701D **3,099⁹⁹**

- Maximum Wheel Width: 21"
- Maximum Wheel Diameter: 30"
- Maximum Tire Diameter: 48"
- Max Wheel & Tire Assembly Weight: 150 Lbs
- Motor: 1 HP
- Accuracy: 1g or 0.05 Oz
- Balancing Modes: 10
- Dimensions (DxWxH): 16.5"x29.5"x40"
- Power Requirements: 120V, 1Ph, 60HZ



Lift Gate Service
SKU 290017 HOFLIFTGATE **95⁰⁰**

EASY COMBO

Easy Combo Wheel Balancer + Tire Changer

SKU 080468 BOSF00E900832 **3,995⁰⁰**

- Entry Level Wheel Balance + Tire Changer
- The Bosch Easy Combo is the Best Value on the Market
- Includes Standard Cone Set, Quicknut and 40mm Shaft
- Six-months Parts Warranty
- Set Up Provided by Bosch Representative



Setup & Training
Provided
by Factory
Representative

Lift Gate Service
SKU 298692 BOSLIFTGATE **50⁰⁰**

WE OFFER A FULL LINE OF BOSCH TIRE SERVICE. CALL 877-AZTOOL-1 FOR PRICES.

Questions? Call AutoZone®
 Tool & Equipment Customer Service:
 1-877-AZTool1 (1-877-298-6651)
 Hablamos Español

Tire Service

Tire Tools



5 Gallon Bead Seater Tool
 SKU 972321 TSICH05 **299⁹⁵**

- The Ch-5 Cheetah™ Bead Seater™ Makes Seating the Most Difficult Bead Not Only Safe but Simple, Fast and Economical
- Designed for Commercial Use on All Tires ATV to 24-1/2" Truck Tires, the Ch-5
- Cheetah Bead Seater Takes the Work Out of Seating Tire Beads

Low Profile Bead Tool
 SKU 080065 DIL5500-BP **59⁹⁹**

- Easy Grip - Ergonomically Designed Handle Gives Needed Leverage for Toughest of Sidewalls
- Longer Design to Eliminate Knuckle Busting on the Face of the Wheels
- Angled Handle Gives User Better Control of the Tool

Starter Kits with Storage

Bench Top Rack with Coated Steel Weight Assortment
 SKU 383181 AMM5202125 **699⁹⁹**

- Contains All Seven Alloy Series, Including "LH" Series
- Includes AV.25N-AW2.00N 161 Pieces; MC.25N-MC2.00N 161 Pieces; LH.25-LH2.00N 161 Pieces; TO.25N-T2.00N 161 Pieces; IAW10g-IAW40g 136 Pieces; EN10g-EN40g 123 Pieces; FN10g-FN40g 123 Pieces
- Complete with Rack, Color-Coded Bins, Labels, Application Header card, Application Catalog, Rim Gauge, Wheel Protectors Counter Card and Wheel Weight Hammer

**FULL LINE OF STEEL WEIGHTS AVAILABLE
 CALL TODAY
 1-877-AZTOOL-1**

Metal Floor Rack with Steel Wheel Weight Assortment
 SKU 383179 AMM5202075 **929⁹⁹**

- Contains Six Alloy Series
- Includes P.25-P.300 - 600 pieces, AV.25N-AW3.00N - 300 pieces, MC.25N-MC3.00N - 300 pieces, LH.25-LH3.00 - 300 pieces, IAW10g-IAW60g - 275 pieces, EN10g-EN60g - 275 pieces, FN10g-FN60g - 275 pieces, TN50N-T3.00N - 275 pieces
- Complete with color-coded bins, printed bin labels, rack, application header card, application catalog and wall chart, Wheel Protectors® counter card, wheel weight hammer.

Steel Roll Weights with Dispenser Bracket
 SKU 382828 AMM5280025 **124⁹⁹**

Steel Roll Weights
 SKU 382953 AMM5528930025 **69⁹⁹**

Wheel Weight Tool
 SKU 217378 25690 **14⁹⁹**

- Tool Installs, Removes, Trims and Tightens All Types of Clip-on Wheel Weights

4 Piece Plastic Scraper Set
 SKU 900802 25513 **24⁹⁹**

- Use to Remove Moldings
- Works Like a Chisel
- Won't Scratch Paint
- Can Be Used for Wheel Weight Removal

Wheel Stud Installer
 SKU 222512 LIS22800 **31⁹⁹**

- Easily Installs New Wheel Studs
- Use with a Ratchet or Impact Wrench to Pull the New Stud Securely in Place

Truck Wheel Stud Installer
 SKU 222516 LIS28950 **36⁹⁹**

Hanson 5 Piece Lug Nut Specialty Set
 SKU 262420 IRW54125 **105⁹⁹**

- Reverse Spiral Flutes are Designed to Bite Down to Provide Maximum Gripping Power
- Universal Lobular Design Fits All Types of Fasteners
- For Use with 3/8" Square Drive Hand Ratchets, Impact Wrenches and Air Ratchets



Digital Wheel Balancer
 SKU 977528 RANDST2420 **1,599⁹⁹**

- Motor 3/4 HP, 110v/220v 50/60hz 1 PH
- Balancing Modes: Dynamic/Static/ 3-Alloy
- Cycle Time: 6 to 9 Seconds
- Self Calibrating
- Max Tire Diameter 47"/1194mm
- Max Tire Weight: 145 Lbs
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz
- Accuracy: ± 1 gram / .035 Oz

Lift Gate Service
 SKU 262533 RANLIFTGATE **135⁰⁰**

TOP SELLERS

NextGen™ RimGuard™ Swing-arm 25" Tire Changer
 SKU 312817 RANR980XR **1,884⁹⁹**

- Drive System: Electric / Air
- Wheel Clamping Capacity: 4 Internal / External Clamps
- Tire Width: 3" to 22"
- Powerful Bead Seating System: TurboBlast
- Internal Rim Clamping Capacity: 11.5" - 24"
- External Rim Clamping Capacity: 10" - 22"
- Internal Rim Clamping Capacity: 13" - 25-1/2"
- External Rim Clamping Capacity: 11-1/2" - 23-1/2"



Lift Gate Service
 SKU 262533 RANLIFTGATE **135⁰⁰**

Dual Position RimGuard™ Wheel Clamps

BASELINE™ ENTRY LEVEL TIRE CHANGERS

BaseLine is the Ideal Tire Changer for a Low Volume Shop that is Looking for a Durable, Entry-level Changer to Change the Majority of OE Fitments.

- Includes Bead Sealing Jets to Aid in Inflation
- Access to Coats' extensive Factory Authorized Service Network
- Assembled in the U.S.A.

User Setup Required
 Service by Coats Service Partners Available



BL300 Tire Changer with 24" External Clamping Capacity
 SKU 510997 AMM85002300 **2,094⁹⁹**

BL400 Tire Changer with 21" External Clamping And Robo-Arm®
 SKU 510998 AMM85002400 **2,394⁹⁹**

BL500 Tire Changer with 24" External Clamping And Robo-Arm®
 SKU 509828 AMM85002500 **2,594⁹⁹**

Leasing Terms Available.
 Ask Your AutoZone® Commercial Specialist.

BL225 ENTRY LEVEL Wheel Balancer

SKU 510978 AMM85002225 **2,054⁹⁹**

- Includes 40mm Shaft, Wheel Calipers for Width Measurement, Durable Hub Nut, 3 Standard Cones (optional light truck cone available), Premium Wheel Weight Hammer, Small Pressure Cup and Rubber Lip, Spring



6-Month Parts Warranty

Got Questions? Get Answers. Pricing, Specs, Repair or Warranty Info CALL TODAY 1-877-AZTOOL-1

BaseLine Lift Gate Service
 SKU 262529 AMMLIFTGATE **55⁰⁰**

Leasing Terms Available.
 Ask Your AutoZone® Commercial Specialist.

Tire Service

Alignment

CALL TO ORDER
1-877-AZTool1
(1-877-298-6651)

650 Imaging Aligner System HOFEWA712AL

- Set-up To Readings in Under 2 Minutes
- OEM Instructions Guide the Technician Through the Process of Resetting the Steering Angle Sensors
- High-Definition Imaging Cameras Allow for System Installation Within a Smaller Shop Bay
- 24" Universal Wheel Clamps
- 3D Animated Adjustment Aid
- Complete and Up-to-date OEM Specs

(Shown With Optional Variable-Height Camera Support)

Lift Gate Service
SKU 290017
HOFLIFTGATE **95⁰⁰**



Boost Your Shops Productivity By Allowing Technicians To Do More Alignments In Less Time

BONUS MULTI-LEVEL CAMERA BOOM
with Purchase of HOFEWA712AL
VALUE: \$2783.00

\$1200 REBATE
Manufacturer's Rebate with Purchase of HOFEWA712AL

*Visit www.hofmann-usa.com for Rebate Details.

HOFFMANN

Geoliner 500 Imaging Alignment System

HOFEWA717ANB

- Compact Design Saves Shop Space Completely Portable from Bay to Bay
- Easy-to-Use Alignment Software
- Animated Adjustments Benefit Technicians
- OEM Software for Steering Angle Reset
- Made in the USA

CALL TO ORDER
1-877-AZTool1
(1-877-298-6651)

***\$250 REBATE**
with Purchase of HOFEWA717ANB

Lift Gate Service
SKU 290017
HOFLIFTGATE **95⁰⁰**

*Please allow 10-12 weeks for delivery. This offer is available in the continental United States excluding CT, RI or PR.



BOSCH

High Performance 8 Camera Wireless CCD Aligner

BOSF00E900131

- 8 CCD Sensors, Radio Transmission with 2.4 GHz and Runout Compensation Encoder
- Simple and Flexible User Software
- 20° CCD Camera Technology for Simplified Caster Measurement
- Over 20,000 Different Vehicles from More Than 50 Manufacturers, Which Can Be Regularly Updated

Lift Gate Service
SKU 298692
BOSLIFTGATE **50⁰⁰**

CALL TO ORDER
1-877-AZTool1
(1-877-298-6651)



BOSCH

FWA 4630 Easy 3D Image Wheel Alignment System

BOSF00E900648

- No Space Required in Front or Behind the Lift
- Easily Transfers from Bay to Bay
- 4 Wheel Alignment Measurements in Less Than 4 Minutes
- Quick Audit Measurements without an Alignment Rack
- No Calibration Required; Compatibility to Driver Assistance Calibration Devices

**Note: Lift and Car Not Included

CALL TO ORDER
1-877-AZTool1
(1-877-298-6651)

Lift Gate Service
SKU 298692
BOSLIFTGATE **50⁰⁰**

Setup & Training Provided by Factory Representative



Tire Service Tools

BONUS

1/2" Wheel Protector Socket Set

24222 with Purchase of Torque Extension Set 24220 SKU 965858

\$29.99 VALUE

5 Piece Torque Limiting Extension Set - 1/2" Drive

SKU 965858 **99⁹⁹**
24220

- Quick, Simple and Accurate
- Helps Prevent Lug Stud/Nut Damage and Warped Rotors
- Includes 1/2" Drive Extensions: 65 Ft/Lbs, 80 Ft/Lbs, 100 Ft/Lbs, 120 Ft/Lbs, 140 Ft/Lbs



QUICK, EASY, ACCURATE

10 Piece Torque Limiting Socket Set - 1/2" Drive

SKU 965855
24221

199⁹⁹

- Prevents Under and Over Torquing
- Includes: 17mm x 55 Ft/Lb, 17mm x 80 Ft/Lb, 21mm x 80 Ft/Lb, 19mm-3/4" x 100 Ft/Lb, 19mm-3/4" x 65 Ft/Lb, 19mm-3/4" x 80 Ft/Lb, 22mm-7/8" x 120 Ft/Lb, 22mm-7/8" x 140 Ft/Lb



OEM®

Tire Test Tank

Tire Tube Test Tank

SKU 291382 **69⁹⁹**
LIS19822

- The Tank Features Reinforcement Ribs for Extra Support
- Will Handle Passenger Tire Sizes to Wide Oval and Light Duty Truck Tires
- Dimensions 31" X 12" X 12"



Tire Repair

STORE STOCK

Euro Style Tire Patches for Passenger, SUV and Light Truck Tires

Mini Round, 1-3/8" SKU 576765 11-638 **9⁹⁹**
Small Round, 1-5/8" SKU 576762 11-645 **8⁹⁹**
Medium Round, 2" SKU 576763 11-655 **8⁹⁹**
Small Square, 1-1/2" SKU 576754 11-307/30 **8⁹⁹**
Medium Square, 1-7/8" SKU 576778 11-309/25 **11⁹⁹**

Xtra seal

Radial Repair Units

Passenger Radial, 1-5/8" x 2-7/8" SKU 625155 11-413 **9⁹⁹**
Euro Style Radial, 2-1/4" x 4" SKU 219784 11-712 **12⁹⁹**

String-Type Repair Inserts

String-Type Insert, 4" Fat Brown SKU 576776 12-361 **8⁹⁹**
String-Type Insert, 8" Fat Brown SKU 576780 12-362/30 **27⁹⁹**

Combination Repair Units

Large Patch-Plug for 1/4" Injuries SKU 576779 13-382 **16⁹⁹**

Tire Repair Chemicals and Mounting Lubricants

Vulcanizing Cement, 8 oz SKU 576761 14-008 **9⁹⁹**
Rubber-Prep Cleaner, 32 oz SKU 576766 14-100 **8⁹⁹**
Bead Sealer, 32 oz SKU 576770 14-101 **9⁹⁹**
Euro Paste Mounting Lube, 6-1/2 Lbs SKU 605764 14-700 **16⁹⁹**
Liquid Mounting Lubricant, 1 Gallon SKU 605765 14-753PM **8⁹⁹**



Tire Valves

TR#412, 7/8", 0.453 Rim Hole SKU 078048 17-412-10 **4⁹⁹**
TR#413, 1-1/4", 0.453 Rim Hole SKU 576777 17-413-50 **11⁹⁹**
TR#413 with Chrome Sleeve & Cap SKU 078049 17-413-10 **6⁹⁹**
TR#414, 1-1/2", 0.453" Rim Hole SKU 605781 17-414-50 **10⁹⁹**
TR#415, 1-1/4", 0.625" Rim Hole SKU 576783 17-415-50 **12⁹⁹**
TR#418, 2", 0.453" Rim Hole SKU 576781 17-418-50 **11⁹⁹**
TR#572, Brass Truck Valve, 3-3/4" SKU 078051 17-572T-10 **12⁹⁹**
1-1/4" High Pressure Valve SKU 078053 17-600HP-10 **5⁹⁹**

Tire Valve Accessories and Tools

Valve Core, High Temp (Red) SKU 576774 17-490HT **13⁹⁹**
Valve Cap, Black Plastic SKU 576757 17-492 **1⁹⁹**
Tread Depth Gauge SKU 605801 17-607 **5⁴⁹**



BUY THIS GET THAT

3 Piece Wheel Protector Impact Socket Set 1/2" Drive

SKU 972769 **29⁹⁹**
24222

- Includes Sizes 17mm, 19mm and 21mm
- Outer Sleeve Keeps Wheels and Lug Nuts Damage Free


While Supplies Last



3 Piece 1/2" Drive Extra-Thin Wall Wheel/ Nut Protector Impact Socket Set

SKU 094646 **24⁹⁹**
25583

- 17mm / 11/16" - Blue
- 19mm / 3/4" - Yellow
- 21mm / 13/16" - Red



PROTECT YOUR INVESTMENT

9 Piece SAE & Metric Wheel Protector Impact Socket - 1/2" Drive Extra Thin Wall

SKU 965856 **79⁹⁹**
24224

- Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage
- Sizes: 3/4" 7/8", 13/16", 15/16", 1", 1-1/16", 17mm, 19mm and 21mm



4 Piece SAE and Metric Impact Flip Socket Set - 1/2" Drive Deep Thin Wall

SKU 965857 **24⁹⁹**
24223

- Thin Wall Design to Fit Most Recessed Wheel Nuts
- Includes 3/4" - 13/16", 19mm - 21mm, and 7/8" - 15/16" Sockets and 3" Extension



9 Piece Wheel Lock Removal Impact Socket Set - 1/2" Drive

SKU 965865 **49⁹⁹**
24225

- Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Remover for Stripped 18mm Lug Nuts, GM "M" and "F" Body Wheel Lock Remover and Lug Nut Remover Punch

