

Hybrid Battery Testers

HYBRID BATTERY? NO PROBLEM.

MIDTRONICS Advancing Battery Management



Hybrid Battery System Analyzer Kit with Printer

SKU 452644 MIDHYB-1000KT **2,279⁹⁹**

- Includes HYB Analyzer, Wireless Convergence Module, 4 Foot Cables for Auxiliary Battery Test, A087 IR Printer and Soft-Sided Carrying Bag
- Provides Technicians with the Capability to Perform Battery Service Maintenance Testing on Several Leading Hybrid Vehicles: Toyota Prius Gen I & II, Camry, Lexus LS600H, Honda Civic Gen II, Ford Escape Gen I, Chevy Malibu
- Drive Test is an Interactive, Menu-Driven Test That Uses Live Vehicle Sensor Information While Performing an Accelerated Drive Test
- Technician Can See Live Results on the Tester While Performing the Test, and Print the Results to the IR Printer at the End of the Test
- Tester will Also Test the 12-Volt Auxiliary Battery and Read/Clear Diagnostic Test Codes



Hybrid Car Battery Tester

SKU 452640 MIDHYB-1000 **1,799⁹⁹**

Make	Model
Cadillac	Escalade
Chevrolet	Malibu
Ford	Escape Gen I Escape Gen II Fusion
Honda	Civic Gen II Insight I Insight II
Lexus	LS600h
Toyota	Prius Gen I Prius Gen II Camry

For a Complete Listing of Battery Service Products, Call Your AutoZone Customer Service Representative at 1-877-AZTool1 (1-877-298-6651).

Wheel Chargers

ProSeries Manual Wheel Charger Features

- Professional Quality
- Large Face, Clear-View Meters with Easy-to-Read Scales
- Cable Set is Grounded, Oil-Resistant and Built to Last
- Durable, Heavy Duty Steel Cabinet with Rubber Wheels
- Automatic Overload Reset and Short-Circuit Protection
- Heavy Duty Silicon Rectifiers with High Performance Heat Sinks
- Heavy Duty High Efficiency Transformer Design



Wheel Charger/Starter

SKU 412277 SE-4020 **119⁹⁹**

STORE STOCK

- 200 Amp 12-Volt/100 Amp 6-Volt Engine Start - for Emergency Starting
- 40 Amp Rapid Charge - Charges a Battery in 1 to 3 Hours
- 10 Amp Fast Charge - for Everyday Charging Needs. Charges a Battery in 3 to 5 Hours
- 2-1/4 Hour Timer with Hold Position for Flexible Charging Options
- Fan Cooled for Longer Life
- Dual Rotary Switches and Color Coded Meter for Ease of Use
- 6' Cable Set with Color Coded Clamps
- Charges 6 and 12 Volt Lead-Acid Batteries

200/35/2 Amp

SKU 837563 PSW-2035 **199⁹⁹**

199⁹⁹

- Charges 12 Volt Batteries
- Polypropylene Case
- Extra Long 8' AC Line Cord



Microprocessor Controlled Full Automatic or Manual Wheel Charger

SKU 058087 PSW-70300A **299⁹⁹**

STORE STOCK

- Battery and Charging System Voltage Tester
- High Performance for 12V Systems
- Charges 12 Volt Lead-Acid, Deep Cycle and AGM Batteries
- Rotary Output Switch Selects Between:
 - 300 Amp Engine Start
 - 70 Amp Rapid Charge
 - 40 and 20 Amp Fast Charge
 - 4 Amp Slow Charge
- Precision Timer-Controlled Operation
- 2.25-Hour Timer with Off and Hold Positions for Controlled or Continuous Recharging
- Tubular, Chrome-Plated Handle with Rubber Grip and Unique Non-Conductive Clamp Rest
- 600-Amp Heavy Duty, Chrome-Plated Steel Ultra Grip Clamps
- 6' Heavy Duty, 4 Gauge Commercial Welding Grade Cables
- Extra Long 9' AC Line Cord
- High Volume Cooling Fan for Efficient Cooling and Longer Duty Cycles

250/125/50/10 Amp

SKU 837564 PSW-2550 **249⁹⁹**

- Charges 6 and 12 Volt Batteries
- 2-1/4 Hour Timer
- Convenient Clamp Holder and Rubber Grip
- Oversized Selector Switches
- Built-In Battery and Charging System Voltage Tester
- Extra Long 9' AC Line Cord



250/65/35/5 Amp

SKU 837566 PSW-61224 **399⁹⁹**

- Charges 6, 12 and 24 Volt Batteries
- 2-1/4 Hour Timer
- Convenient Clamp Holder and Rubber Grip
- Oversized Selector Switches
- Extra Long 9' AC Line Cord



300/200/60/30 Amp

SKU 837565 PSW-3060 **449⁹⁹**

- Charges 6 and 12 Volt Batteries
- 2-1/4 Hour Timer
- Convenient Clamp Holder and Rubber Grip
- Oversized Selector Switches
- Built-In Battery and Charging System Voltage Tester
- Extra Long 9' AC Line Cord



Memory Saver

Memory Saver

SKU 220035 SEC-5A-0BD **39⁹⁹**

STORE STOCK

- On Board Diagnostics Connector (OBD II) Plugs Directly into Vehicles OBD II Port (Vehicles 1996 and Newer)
- Convenient 12V DC Male-to-Male Cable for Quickly Charging the Internal Battery on the Go
- 5 Amp Hour Battery
- Internal Charger Included
- Internal Battery Charge Status LEDs
- Easy to Read Battery Status LEDs
- Saves Vehicle Computer Settings, Stored Fault Codes and Programmed Electronic Settings (Clocks, Radios, Seat Positions, Keyless Entry Systems, Alarms, Etc.)
- OBD II Port is Located within 3' of the Drivers Seat



Battery Chargers

SpeedCharge Maintainer

SKU 298615 SEM-1562A **27⁹⁹**

STORE STOCK

- 1.5 Amp Charger and Maintainer
- Charges 6 and 12 Volt Lead-Acid, Deep Cycle, AGM and Gel Cell Batteries
- Microprocessor Controlled
- Fully Automatic - Once Battery is Charged, Unit Switches from Full Charge to Float-Mode Monitoring

- Automatic Voltage Detection
- Automatic Temperature Compensation
- Patent Pending "Thermal Runaway" Protection
- Safety Start - Charger Will Not Supply Current to Battery Until it is Properly Connected to Battery
- Quick-Disconnect Harness
- Reverse-Hookup Protection
- Power and Charging Status LED Indicators



Linear Battery Charger

SKU 000985 SE-82-6 **42⁹⁹**

STORE STOCK

- 6 Amp Medium Charge - Charges Most Batteries in 6 to 8 Hours
- 2 Amp Trickle Charge - Charges Small 12V Battery in 2 to 12 Hours
- Manual Operation
- Rugged Durable Metal Case
- Top Mounted Carrying Handle



Linear Battery Charger/Starter

SKU 412270 SE-5212A **59⁹⁹**

STORE STOCK

- 50 Amp Engine Start - for Emergency Starting
- 10 Amp Fast Charge - Charges a Battery in 3 to 5 Hours
- 2 Amp Trickle Charge - Charges Small 12V Battery in 2 to 12 Hours

- Fully Automatic
- 2 LEDs
- Rugged Durable Metal Case
- Top Mounted Carrying Handle
- Charges 12 Volt Lead-Acid and Deep Cycle Batteries



SpeedCharger

SKU 837570 SC-1000A **53⁹⁹**

STORE STOCK

- 10 Amp Medium Charge - Charger Monitors Battery Condition and Automatically Adjusts Charging Rate, Preventing Battery Damage
- Safety Start

- 6 Amp Medium Charge: Self-Adjusting Charge Rate Ideal for Everyday Charging Needs
- 2 Amp Slow Charge - for Charging Small Batteries and Maintaining Large Ones
- Fully Automatic
- 50 Amp Clamps - Offer Versatility for Top and Side-Mounted Battery Posts
- Microprocessor Controlled
- Thermal Runaway Protection
- Electronic Push Button Controls
- Sturdy, Built-In Handle
- Molded Polypropylene Case
- Charges 12 Volt Lead-Acid, Deep Cycle, AGM and Gel Cell Batteries

SpeedCharge Tester/Maintainer/Charger

SKU 058755 SC-7500A **95⁹⁹**

STORE STOCK

- 75 Amp Engine Start
- 20<>10 Amp Fast Charge
- Microprocessor Controlled
- Thermal Runaway Protection

- Charges 12 Volt Lead-Acid, Deep Cycle, AGM and Gel Cell Batteries
- 2 Amp Trickle Charge - for Charging Small Batteries and Maintaining Large Ones
- 125 Amp Sure-Grip Clamps
- Safety Start
- Electronic Touch Pad Controls
- Reverse-Hookup Protection
- Battery & Alternator Tester
- Retractable Handle
- Molded Polypropylene Case



Jump Starters

ProSeries Jumpstarter Features

- Pro Grade High Output AGM Batteries Offer Increased Jump Starting Performance
- Integrated 3 Amp Automatic Charger for Fast and Easy Recharging
- Heavy Gauge, Extra Long Heavy Duty Welding Wire Cables for Easy Battery Access
- Heavy-Duty Clamp Design Feature Dual Live Jaws For Maximum Power
- Built-In Voltmeter for Quick Battery and Charging System Testing

ProSeries Jumpstarter

SKU 069586 PSJ-2212 **249⁹⁹**

- 22 AH Pro Grade High Output AGM Battery
- 4 Gauge 50" Cable Set
- 2200 Peak Amps, 330 Cranking Amps, 275 Cold Cranking Amps



ProSeries Jumpstarter

SKU 069587 PSJ-4424 **679⁹⁹**

- 2-22 AH Pro Grade High Output AGM Batteries
- 2 Gauge 55" Cable Set
- 4400 Peak Amps, 500 Cranking Amps, 415 Cold Cranking Amps



Heavy Duty Chargers

4 Bank Multi-Battery Charger

SKU 069531 INC-406A **229⁹⁹**

- Four Independent, Fully Automatic Microprocessor Controlled Charging Banks
- 6 Amp Output per Bank
- Four Detachable 6' Cords with 75 Amp, Color-Coded Clamps
- Separate LED Battery Status Indicators per Bank
- Multiple Stage Charging Algorithm
- Fan-Cooled for Dependability and Peak Performance
- Heavy-Duty, Steel Case for Durability
- Charges 6 and 12 Volt Lead-Acid and AGM Batteries
- Reverse Polarity
- Safe Start, Overcharging and Short Circuit Protection



8 Bank Multi-Battery Charger

SKU 069532 INC-812A **599⁹⁹**

- Eight Independent, Fully Automatic Microprocessor Controlled Charging Banks
- Automatically Selects Charging Currents from 2 to 12 Amps
- Separate Digital Display for Each Bank
- Multi-Stage Charging Algorithm
- Eight Detachable 6' Cords with 75 Amp, Color-Coded Clamps
- Patent Pending "Thermal Runaway" Protection
- Separate Standard and Gel Settings to Assure Complete Charge
- Fan-Cooled for Dependability and Peak Performance
- Heavy-Duty, Steel Case for Durability
- Charges 12 Volt Lead-Acid, Deep Cycle, AGM and Gel Cell Batteries
- Reverse Polarity
- Safe Start, Overcharging and Short Circuit Protection



DID YOU KNOW?

We Have the Starting Battery for 2002 - 2012 Toyota Prius

Call Your AutoZone Commercial Sales Manager for Details!!!



1-877-AZTool1
(1-877-298-6651)
Hablamos Español

Battery Testers



Battery Load Tester
SKU 496662 ASC6026 **84⁹⁹**

- Tests Both 6/12 Volt Batteries
- Tests Alternators and Starters
- 300 Amp Vinyl Coated Clamps
- 1-Year Warranty

ASSOCIATED

Digital Electrical System Analyzer Tester
SKU 343372 ASC12-1012 **279⁹⁹**

- Tests Battery, Starter and Alternator on 12V Systems
- 4 Line LCD Display
- Light Weight Hand-held Conductance Digital Battery Tester with USB Port



Battery Testers



Battery Conductance Tester
SKU 291330 MIDPBT100 **179⁹⁹**

- Tests 12V Automotive Batteries from 200 - 850 CCA

MIDTRONICS Advancing Battery Management

Battery Conductance Tester
SKU 291331 MIDMDXP300 **639⁹⁹**

- Tests 12V Batteries from 100 - 1400 CCA - Including AGM & Gel



6 & 12V Battery & Electrical System Tester with Built-In Printer
SKU 291337 MIDMDX650P **1,079⁹⁹**

- Tests 6 & 12-Volt AGM (Flat Plate or Spiral), GEL, & Flooded Batteries from 100-2000 CCA
- Tests Automotive, Motorcycle, Marine, Lawn & Garden, Group 31, and Commercial 4D/8D Batteries

Alternator/Battery Tester

SKU 434261 ASC6031 **199⁹⁹**

- 0-16 Volts DC
- 125 Amp Load
- 2' 14/2 Leads



Digital Electrical System Analyzer Tester with Printer

SKU 343373 ASC12-1015 **484⁹⁹**

- Volt Meter 5-91 Volts
- 10 Line LCD Display
- Battery Tests Display: Good/Replace/Recharge-Retest, Measured Voltage of the Battery, CCA Battery, Internal Resistance, Estimated Remaining Life



Advanced Diagnostic Battery Conductance/Electrical System Tester
SKU 291329 MIDPBT300 **319⁹⁹**

- Tests 12V Automotive Batteries from 100 - 1400 CCA



Battery Testers

Professional Circuit/Parasitic Drain Tester

SKU 463250 THX209 **199⁹⁹** **NEW**

- Checks Parasitic Drains
- Fuse Values Range from 5A to 80A



Digital Battery Tester

SKU 221255 ASC6033 **219⁹⁹** **ASSOCIATED**

- Digital Hand-Held Tester Reads Hi and Lo Voltage After Test is Accomplished
- Computes Actual CCA of Battery
- Heavy Load Enables the 6033 to Detect Bad Batteries that are Sometimes Missed by the Electronic Testers



MIDTRONICS Advancing Battery Management

AMP-100 Digital Amp Clamp/Meter

SKU 291339 MIDAMP100 **249⁹⁹**

- 200 DC Amp Range for Starter and Alternator Output
- Milliamp DC Amp Range for Parasitic Drain Testing
- Full Multi-Meter Functions

Great For Checking Battery Draw



6/12 Digital Volt Meter

SKU 343378 ASC12-1011 **29⁹⁹**

- Checks Charging System and Battery Voltage
- Table Right on the Tool That Compares Voltage Reading and Corresponding State of Charge for Both Lead Acid and AGM Batteries



Quick. Easy. Accurate Conductance Technology.



12 Volt Battery Diagnostic Tester
SKU 222754 TNOB300 **179⁹⁹**

- No Conversion Tables Needed for CCA, SAE, IEC, EN, or Ah
- Battery Condition is Shown in Percentage of Capacity
- Uses Conductance Technology Tests 12V Starting/Charging Systems
- 390 to 1400 CCA

12 and 24 Volt Battery, Charging, and Starting System Diagnostic Tester

SKU 222756 TNOB500 **399⁹⁹**

- Battery Condition is Shown in Percentage of Capacity and CCA's
- No Conversion Tables Needed
- 50 CCA to 1700 CCA Range (Individual)
- Up to 3500 CCA (Parallel)



Heavy Duty Battery Condition and Charging System Tester 12/24V
SKU 222755 TNOB400 **299⁹⁹**

- Battery Condition is Shown in Percentage of Capacity
- Tests 12V, 24V, & 36V Starting/Charging Systems
- Tests 42V Mild Hybrid Starter/Charging Systems
- Uses Conductance Technology



6, 12, and 24 Volt Wireless Battery, Charging, and Starting System Diagnostic Tester
SKU 222757 TNOB600 **499⁹⁹**

- Tests All 6V, 12V & 24V Lead Acid Batteries Individually or in Parallel and Series Battery Packs

Battery Service Tools

ASSOCIATED

Battery Service Kit*
SKU 972267 ASCTK6210 **69⁹⁹**

- Includes Tools for All in One Technician Use
- Convenient Pouch for Efficient Tool Storage



Battery Carrier

SKU 094644 25283 **13⁹⁹**

- Safe Way to Grab, Lift and Carry Top Post or Side Post Batteries
- Rubber Pads Grip Battery Widths from 5" to 7"



Side Terminal Adapter

SKU 110342 ASC6200 **14⁹⁹**

- For Chargers or Booster Cables



Battery Disconnect

SKU 099285 25281 **7⁹⁹**

- For Use in 12 or 24 VDC System
- Easily Installs onto Your Battery Post with Minimal Tools
- Use It on Any Vehicle Occasionally Stored for Long Periods, Including RVs and Boats, or Any Valuable Car



Battery Terminal Puller

SKU 466489 25121 **6⁹⁹**

- Use to Remove Battery Terminal Clamp without Damaging the Battery Post
- Will Work on Corroded Spring-Type Clamps



Battery Terminal Spreader and Cleaner

SKU 466491 25122 **9⁹⁹**

- Sharp Teeth Effectively Clean Corrosion from the Clamp



Battery Filler

SKU 972771 87010 **11⁹⁹**

- Holds up to 2 Liters



Battery Terminal Wrench

SKU 965838 25282 **12⁹⁹**

- 10mm and 5/16"
- Ratcheting Box Style Wrench for Use on 5/16" and 10mm Battery Terminals



Booster Cables

500 Amp Booster Cable

SKU 972268 ASC6159 **159⁹⁹**

- Total Length: 15'
- Cable Gauge: 5 AWG
- Amp Clamp: 500 Amp

500 Amp Booster Cable

SKU 972269 ASC6160 **249⁹⁹**

- Total Length: 20'
- Cable Gauge: 4 AWG
- Amp Clamp: 500 Amp





DID YOU KNOW?

We Have Hybrid Drive Batteries Available?

Ask Your Commercial Sales Manager for Details.

1-877-AZTool1
(1-877-298-6651)

Intellamatic

Portable Intellamatic
SKU 110345 ASC9425 **539⁹⁹**

- 12V, 25 Amp Intellamatic Smart Bench Charger
- Safe for all Battery Types Including Flooded Maintenance Free, AGM or Gel-cell
- Deep Discharge Recovery
- Weak Battery Detections
- Clean 13.7V Electrical System Stabilization



ASSOCIATED

Intellamatic[®] 12 Volt - 60 Amp/270 Amp Boost Wheel Charger
1,199⁹⁹

- SKU 343379 ASC6008MSK
- Stable Power Supply for Extended Service Procedures or Re-flashes
 - Designed for AGM, GEL Cell, Sealed and Standard Flooded Batteries Including Spiral Cell, Orbital™ or Optima™ Batteries
 - UL Cranking Assist Rating: 270A
 - Dead Battery Override Control
 - Limited Warranty: 3 Years



BONUS Battery Tester

#ASC6033 with Purchase of Intellamatic[®]
ASC6008MSK
SKU 343379
\$219.99 VALUE



BONUS Battery Tester

#ASC6033 with Purchase of Intellamatic[®]
ASC6007B
SKU 343370
\$219.99 VALUE



12 Volt, 45A Intellamatic Pro Wheel Charger
859⁹⁹

- SKU 343370 ASC6007B
- Stable Power Supply for Extended Service Procedures or Re-flashes Nominal 13.7V DC Output 40 Amp / 130 Amp Boost
 - Charger & Power Supply for Standard Automotive, Deep Cycle, AGM and Gel Cell Batteries
 - Clean 13.7V Electrical System Stabilization



Portable Chargers

Portable Automatic 6/12 Volt Charger

SKU 343381 **169⁹⁹**
ASC9015

- Continuous Rating 10/10/2 Amps
- Substantially Reduces Risk of Overcharging



6/12 Volt Charger with 100 Amp Engine Start

SKU 343382 **219⁹⁹**
ASC9092

- DC Leads 6' 12/2 AWG
- Manual 6 Volt Position for Lower Voltage Requirements



Memory Cable

Memory Saver Cable

SKU 980181 **29⁹⁹**
ASCMS6209

- Prevents Loss of Electronic Memory When Disconnecting Vehicle Batteries Using a Power Supply
- 8' Coiled Cord
- Plugs into OBD II Connector for 1996 or Later Vehicles



Memory Saver 12 Ft Cable

SKU 120862 **44⁹⁹**
ASCMS6209-12

- 5 Amp
- OBD II Connector
- Male Cigarette Plug



15 Amp Memory Saver

SKU 120864 **44⁹⁹**
ASCMS6210-12

- 15 Amp / 20 Amp Peak
- Optional Memory Saver Cable for ESS6008MS



Maintainers



Automatic Charger/Maintainer

SKU 228203 **59⁹⁹**
ASC9002

- 12V, 1.5 Amp Charger/Maintainer
- Keeps Batteries Charged When Batteries Sit for Extended Periods of Time
- Will Not Over Charge Batteries
- Safe for All Battery Types Including AGM and Gel-cells

Automatic Charger/Maintainer

SKU 228204 **69⁹⁹**
ASC9003

- 6/12V, 0.9 Amp Charger / Maintainer, Keeps Batteries Charged When Batteries Sit for Extended Periods of Time
- Will Not Over Charge Batteries, Safe for All Battery Types Including AGM and Gel-Cells



Automatic Charger/Maintainer

SKU 228206 **179⁹⁹**
ASC9004

- 12V, 0.8/2.0 Amp Charger / Maintainer, Keeps Batteries Charged When Batteries Sit for Extended Periods of Time
- Will Not Over Charge Batteries



For a Complete Listing of Battery Service Products, Call Your AutoZone Customer Service Representative at 1-877-AZTool1 (1-877-298-6651).

Battery Chargers



Battery Charger Cranking Assist
SKU 980180 ASCUS18
319⁹⁹



Professional Fast Charger Cranking Assist
SKU 496661 ASC6012
569⁹⁹



Heavy-Duty Fast Charger Cranking Assist
SKU 444366 ASC6006
759⁹⁹



Fast Charger Cranking Assist
SKU 344795 ASCUS20
349⁹⁹



Professional Manual Fast Charger 6/12 Volt 40/10 Amp
SKU 343371 ASC6015B
349⁹⁹



Heavy-Duty Commercial Charger Cranking Assist
SKU 496657 ASC6001A
999⁹⁹

*Qualified Purchases Come with Coupon for Bonus Goods.

Part Number	Voltage	UL Continuous Rating	MFR Boost Rating	UL Cranking Assist Rating	AC Cord	DC Leads	Clamp Rating	Limited Warranty	Shipping Dimensions (HxWxD)	Weight
#ASCUS18	6/12	40/40/10A	330A	200A	6.5', 16-3	6.5', 6 AWG	400A	2 Years	24" x 15" x 13.5"	35 LBS
#ASC6012	6/12	70/60A	500A	250A	6' 16-3	6.5' 6.5 AWG	400A	5 Years	23" x 19" x 16"	48 LBS
#ASC6006	6/12/24	70/65/30A	600A	280A	6.5' 16-3	7' 4 AWG	500A	5 Years	23" x 19" x 16"	53 LBS
#ASC6015B	6/12	40/10A	300A	200A	6' 16-3	6.6' AWG	200A	1 Year	11" x 13" x 9.5"	24 LBS
#ASCUS20	6/12	40/40/10A	330A	200A	6' 16-3	6' 16-3	400A	2 Years	13.5" x 15" x 24"	35 LBS
#ASC6001A	6/12	100/75A	625A	375A	10' 14-3	8' 4 AWG	500A	5 Years	13" x 16" x 14"	38 LBS