

JACKS AND HYDRAULICS

Floor Jacks and Stands

10-Ton Manual Floor Jack
 SKU 964625 HEIHW93660 **2,419⁹⁹**
 • Min. Height: 6-3/4"
 • Max Height: 25-1/2"



4-Ton Floor Jack
 SKU 964624 HEIHW93657 **1,369⁹⁹**
 • Min. Height: 5"
 • Max Height: 25-3/4"


3-Ton Floor Jack
 SKU 964623 HEIHW93652 **549⁹⁹**
 • Min. Height: 5"
 • Max Height: 23-1/2"


2-Ton Floor Jack
 SKU 964622 HEIHW93642 **449⁹⁹**
 • Min. Height: 4-1/2"
 • Max Height: 20-1/4"


10-Ton Jack Stand Set
 SKU 222506 HEIHW93512 **779⁹⁹**
 • Max Height: 31-1/2"


6-Ton Ratcheting Jack Stand Set
 SKU 964621 HEIHW93506 **179⁹⁹**
 • Max Height: 25-3/8"
 • Ratchet Action Height Adjustment


3-Ton Ratcheting Jack Stand Set
 SKU 964601 HEIHW93503 **129⁹⁹**
 • Max Height: 19"
 • Ratchet Action Height Adjustment


2-Ton Low Profile Jack
 SKU 964645 OMG29023 **439⁹⁹**
 • For Low Profile Cars as well as SUV's
 • Extra Long Low Side Rails to Reach Hard to Get to Jack Points
 • Low Height: Only 2.5"
 • Max Height: 20"


3 1/2-Ton "Magic Lift" Service Jack
 SKU 964644 OMG27035 **354⁹⁹**
 • Innovative Design of Magic Lift Offers a Quick Lift
 • Max Height: 23"
 • Low Profile Design Allows for Easy Access to Lift Points


3-Ton "Magic Lift" Jack with Stands
 SKU 964643 OMG25032 **259⁹⁹**
 • Min. Height: 5-1/4"
 • Max Height: 20-7/8"


The Banner 3 1/2-Ton Fast Lift Service Jack
 SKU 344792 BHKB6350 **249⁹⁹**
 • Min. Height: 5-1/2"
 • Max Height: 22"


4,000 Lb (2-Ton) Ultra-Low Profile Garage Jack
 SKU 451477 TCE82002 **399⁹⁹**
Lifting Range: 3" to 20"
 • Ultra-Low Profile Design Gives Clearance to Even High Performance Super Cars. This Jack Surpasses Other Jacks that Don't Measure Up
 • Thick Frame Side Plates and Reinforced Lifting Arm
 • Heavy Duty Tubular Grip Handle that Provides Easy Handling
 • Patented Quad-Trak Designed Polyurethane Front Wheels That Get Over any Bump or Crack With No Resistance
 • Polyurethane Mounted Rear Swivel Caster Wheels
 • Rubber Saddle Pad and Foam Bumper Pad
 • Built-In Wheel Nut Tray


6,500 Lb (3 1/4-Ton) Professional Garage Jack
 SKU 451485 TCE83508 **269⁹⁹**
Lifting Range: 3-13/16" to 21-1/8"
 • Dual Pump Pistons for Faster Rising Action
 • Thick U-Channel Frame Side Plates and Reinforced Lifting Arm
 • Tubular Grip Handle that Provides Easy Handling
 • Integrated Bypass and Overload Valves
 • Steel Mounted Rear Swivel Caster Wheels
 • Rubber Saddle Pad and Foam Bumper Pad
Designed for the Shop Guys with Work in Mind and Security Guaranteed.


1 1/2-Ton Aluminum Racing Jack
 SKU 901504 RANRFJ3000AL **259⁹⁹**
 • Min. Height: 3-1/2"
 • Max Height: 17-3/4"


1,500 Lb Motorcycle Jack
 SKU 300788 SFAT-2152 **179⁹⁹**
 • Lift and Lower Your Motorcycle, ATV, Dirtbike and More with the Easy to Use Foot Pedal
 • 1,500 Lb Weight Capacity
 • Lift Height Over 14"
 • Low Profile Clearance of 4-1/2"


Jack Stands

10-Ton Round Tube Vehicle Support Stand
 SKU 451491 TCE41000 **329⁹⁹**
 • Featuring a Heavy Duty Tubular Structure for Increased Strength and Stability and a Welded Frame Structure for Safety in Mind
 • Large Bases for Extra Stability
 • Solid Steel Height Adjustment Pin
 • 9 Locking Positions


7-Ton Square Tube Vehicle Support Stand
 SKU 451490 TCE47000 **119⁹⁹**
 • Adjustment Range: 9-5/8" to 15-3/8"
 • Featuring a Heavy Duty Square Tube Structure for Increased Strength and Stability and a Welded Frame Structure for Safety
 • Flat Four Legged Steel Base for Added Strength and Stability
 • Solid Steel Height Adjustment Pin
 • 3 Locking Positions


Vehicle Support Stand
 • One Piece Multi-Position Ductile Ratchet Bar Provides Super Strength and Durability
 • Quick Adjustment Mechanism That Securely Locks Into Desired Location


7-Ton Stand
 SKU 451489 TCE47008 **119⁹⁹**
 • Adjustment Range: 16-5/16" to 25-3/16"
4-Ton Stand
 SKU 451488 TCE44008 **79⁹⁹**
 • Adjustment Range: 12-3/16" to 18-7/8"


High Lift Jack Stands

1,650 Lb High Reach Jack Stand
 SKU 300796 BHKBH5710 **134⁹⁹**
 • Min. Lift Height: 53-3/4"
 • Max. Lift Height: 79-7/8"
 • Base L x W: 12" x 12"
Also Available with Foot Pedal
 SKU 300797 BHKBH5715 **139⁹⁹**
READY TO SHIP


2-Ton Tri-Fold High Position Jack Stand
 SKU 451494 TCE42009 **109⁹⁹**
 • Featuring Heavy-Duty Steel and High-Strength Welds for Safety in Mind
 • Max Height 83-3/4"
 • ACME All Thread Rod Adjustment for Varied Load Heights
 • Handles Have Thrust Bearings to Turn Easily Under Loads
 • Large Bases for Extra Stability
 • For Heavy Duty Jobs That Need Maximum Height Adjustment


1,500 Lb High Position Jack Stand
 SKU 451493 TCE40753 **99⁹⁹**
 • Featuring Heavy-Duty Steel and High-Strength Welds for Safety in Mind
 • Max Height 79-7/8"
 • ACME All Thread Rod Adjustment for Varied Load Heights
 • Handles Have Thrust Bearings to Turn Easily Under Loads
 • Large Bases for Extra Stability
 • For Heavy-Duty Jobs That Need Maximum Height Adjustment


JACKS AND HYDRAULICS

Truck Air / Service Jacks

3/4-Ton Wheel Dolly

SKU 291389
OMG47053 **449⁹⁹**



- Safely Remove and Install Wheel Assemblies from HD Trucks
- Single, Duals/Tandems and Duplex Tires and Wheels
- Lift Arms Can Be Adjusted to Handle Different Wheel Combinations

20-Ton Air Actuated Bottle Jack

SKU 964637
OMG18202C **379⁹⁹**

- Min. Height: 9-1/2"
- Max Height: 18-3/4"



22-Ton Truck Stand Set Pin Style

SKU 964651
OMG32225 **234⁹⁹**

- Min. Height: 9-1/2"
- Max Height: 19-7/8"



22-Ton Air Hydraulic Truck Jack

SKU 964640
OMG23221C **759⁹⁹**

- Min. Height: 9-1/2"
- Max Height: 18-3/4"



Bottle Jacks

TCE Heavy-Duty Bottle Jacks are Designed for Hard Hitting Commercial Use

- Integrated Bypass and Overload Valves
- Heat Treated Extension Screws
- Wide Base for Stability
- All Steel Construction
- These Light Weight Jacks are Great for Lifting Farm Vehicles, Heavy Duty Machinery, Industrial Construction Equipment and More



20-Ton Stubby

SKU 451487
TCE92008 **119⁹⁹**

- Rated Capacity: 40,000 Lb
- Stroke: 3-1/2"
- Lifting Range: 7-1/8" to 10-1/2"



12-Ton Stubby

SKU 451483
TCE91208 **84⁹⁹**

- Rated Capacity: 24,000 Lb
- Stroke: 3-5/16"
- Lifting Range: 6-5/8" to 9-15/16"



20-Ton Jack

SKU 451486
TCE92007 **119⁹⁹**

- Rated Capacity: 40,000 Lb
- Stroke: 7-15/32"
- Adjustable Screw Extension: 3-3/8"
- Lifting Range: 10-7/8" to 18-3/8"



12-Ton Jack

SKU 451480
TCE91207 **84⁹⁹**

- Rated Capacity: 24,000 Lb
- Stroke: 9-1/8"
- Adjustable Screw Extension: 3-3/8"
- Lifting Range: 9" to 18-1/8"

Air Hydraulic Bottle Jacks

- TCE Hydraulic/Air Pneumatic Bottle Jacks Have a Trigger Push-Button Control That Works Fast and Efficient Reducing Lifting Time
- Air Valves Integrate Filters, Seals and the Hydraulic Unit to Operate Together
- A Heavy-Duty Air Motor Provides Maximum Power
- Integrated Bypass and Overload Valves
- These Light Weight Jacks are Great for Lifting Farm Vehicles, Heavy Duty Machinery, Industrial Construction Equipment and More

24,000 Lb Bottle Jack

SKU 451478
TCE31000 **199⁹⁹**

- Lifting Range: 10-7/16" to 20"



40,000 Lb Bottle Jack

SKU 451479
TCE31001 **229⁹⁹**

- Lifting Range: 10-7/16" to 20"



Transmission Jacks

1,000 Lb Telescoping Transmission Jack

SKU 451475
TCE50055 **849⁹⁹**

Double Ram for a Lower Profile
Saddle Forward Tilt 30 Degree
Saddle Reverse Tilt 12 Degree
2 Stage Cylinder Ram
Lifting Range: 35" to 70-1/2"

- Single Person Operation
- Heavy-Duty Jack for Transmission Installation and Removal
- For Use with Car and Light Truck Transmissions
- Universal Mounting Head Provides a Wide Fore and Aft Tilt Range
- Manual Operated Hydraulic System



1-Ton Transmission Jack

SKU 451476
TCE10001 **729⁹⁹**

Saddle Forward Tilt 68 Degree
Saddle Reverse Tilt 15 Degree
Rated Capacity: 2,000 Lb
Lifting Range: 8-1/4" to 30-5/8"

- Single Person Operation
- Heavy-Duty Jack for Transmission Installation and Removal
- Universal Mounting Head Provides a Wide Fore and Aft Tilt Range
- Low Profile Design Enhanced by Four Heavy Duty Steel Swivel Casters for Easy Maneuvering Throughout the Shop
- Manual Operated Hydraulic System
- Patented Unique 360° Handle Design



1-Ton Telescoping "Transjak"

SKU 902478
RANRTJ1 **689⁹⁹**

- Capacity First Stage: 2,000 Lb
- Capacity Second Stage: 1,000 Lb
- Lowered Height: 37"
- Raised Height: 79-1/2"

79-1/2" REACH ↑



700 Lb Transmission Jack

SKU 533215
BHKBH7000 **429⁹⁹**

- Lifting Capacity: 700 Lb
- Lowered Height: 57-1/4"
- Raised Height: 76-5/8"
- Double Pivoting Adjustable Saddle That Can Expand to Almost 19" x 19"



1/2-Ton Air/Hydraulic Telescoping Transmission Jack

SKU 964632
HEIHW93720 **2,049⁹⁹**

- Combines Air and Hydraulic Power for Maximum Speed and Accuracy
- Lift Capacity: 1/2 Ton
- Lowered Height: 34"
- Max Height: 72"



1/2-Ton Telescoping Transmission Jack

SKU 902484
RANRTJ3000 **749⁹⁹**

- Lifting Capacity: 3,000 Lb
- Foot Operated Pump
- Alloy-Plated Ram



1/2-Ton Air-Actuated Telescopic Transmission Jack

SKU 222744
OMG41001C **999⁹⁹**

- Air Turbo Motor is Equipped to Raise the Load to the Desired Height Efficiently, Effortlessly and Safely
- Chrome-Plated Rams Maximize Its High Reach Operated by a User-Friendly Foot Pedal
- Max Height: 78-1/8"



1/2-Ton Telescoping Transmission Jack

SKU 964652
OMG41000C **899⁹⁹**

- Lifting Capacity: 1,000 Lb
- Lowered Height: 37-7/8"
- Raised Height: 77-5/8"



1-Ton Floor Style Transmission Jack

SKU 964631
HEIHW93718 **1,974⁹⁹**

- Max Height: 44-3/4"
- Designed for Heavy Duty Transmissions



Fuel Tank Adapter for Transmission Jacks

SKU 222503
DOWJDI-FTAT **179⁹⁹**

- Safe and Convenient Adapter for Handling Vehicle Fuel Tanks
- Works with Most Transmission Jacks



Engine Stands

2-Ton Folding Engine Crane

SKU 902288 **449⁹⁹**
RANRSC2TF

- This Heavy-Duty Hydraulic Folding Engine Hoist with 8-Ton Capacity Ram is Perfect for Shops That Have Limited Space but Still Need the Pure Lifting Convenience of a Crane
- Front Casters Include a Safety Brake to Prevent Movement



1,250 Lb Engine Stand

SKU 534418 **239⁹⁹**
OMG31250

- Constructed from Heavy-Gauge Welded Square Tubular Steel
- Extra Long Handle with Rubber Grips for Easy Rotation and Maneuvering



1,250 Lb Rotating Engine Stand

SKU 964646 **379⁹⁹**
OMG31256

- Extra-Long Handle with Rubber Grip for Easy Rotation and Maneuvering
- Head Plate Locks in 8 Positions and Rotates 360°
- Heavy Duty Worm Gear Allows for Smooth and Effortless Engine Rotation



1,250 Lb Engine Stand

SKU 462493 **179⁹⁹**
24829

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- Extra Wide 4-Wheel Base Provides Added Stability
- 360° Rotation
- Lock Pin Locks Engine Into Position
- Includes Tool Tray

NEW



750 Lb Engine Stand

SKU 462492 **89⁹⁹**
24828

- Easy to Move and Rotate
- Heavy Gauge Square Steel Tube Frame
- 360° Rotation
- Lock Pin Locks Engine Into Position

NEW



Engine Supports

1,100 Lb Engine Support

SKU 512946 **199⁹⁹**
24950

- 2 Screw Adjusters for Precise Positioning - Makes Job Easier, Faster and Safer
- Rubber Feet to Prevent Damage to Vehicle and Ensure Stability
- 1,100 Lb Capacity



2 HOOKS - 2 CHAINS
TWICE THE ADJUSTMENT MEANS
FASTER, EASIER AND SAFER

OEM



3-Point Engine Support Bar

SKU 133617 **99⁹⁹**
24951

- Makes Removal of Transaxle Easy by Supporting Engine of Front Wheel Drive Vehicles
- 700 Lb Capacity
- Two 14" Adjustable Hook Screws
- Width Expands from 34-1/2" to a Full 61"
- Two 38" Braided Steel Cables

Engine Lift Chain

SKU 556647 **45⁰⁰**
27041

- Used with Engine Hoist to Lift Engine Into and Out of Engine Compartment
- Chain Weight Limit: 1,000 Lb

STORE STOCK



GM Engine Moving Tool

SKU 511006 **59⁹⁹**
THX419X

- Fits GM Front Wheel Drive Vehicles with Engine Torque Struts
- Safely Holds Engine in Place
- Extra Bolt Holes Provide Fit on All Vehicles
- Includes Adapter 419A

THEXTON



SCAN FOR DETAILS

DID YOU KNOW?

Shop Presses are Great in Both Repair Shops and Your Home Garage. They are Ideal for the Removal and Installation of Gears, U-Joints, Bushings and Bearings, They Excel at Bending, Straightening and Flattening. The Applications are Endless. They are Available from 20-50 Tons.

Contact Your Commercial Sales Manager for Details.



20-Ton Shop Press

SKU 300134 **379⁹⁹**
24810

- Remove and Install Bearings, Gears, U-Joints, Bushings, Ball Joints and Pulleys
- Multi-Position Bed for Work Height Adjustment
- Max Height: 31.5" Width 21.75"
- Includes Press Plates

OEM

SUPER HEAVY DUTY H-FRAME PRESS WEIGHS OVER 250 LB - PROVIDING MORE STRENGTH AND DURABILITY COMPARED TO SIMILAR LIGHTER WEIGHT SHOP PRESSES ON THE MARKET

Offer Good Through 9/30/14 • While Supplies Last

BONUS

with Purchase of
SKU 300134 | Part# 24810

kershaw
KNIVES

Salvo Knife*
KER2445

Value: \$49.99

*Some products advertised may be considered illegal and may not be lawful to sell, purchase, or own in specific areas.



Shop Presses



50-Ton Shop Press

SKU 451473 **1,899⁹⁹**
TCE50021

Force: 100,000 Lb
Bed Internal Dimension: 27-15/16"
Working Range: 2-5/8" to 36-1/4"
Stroke: 7-1/2"

- Heavy-Duty H-Frame Steel Construction
- Hydraulic Pump
- Dial Gauge
- Double Spring Ram Return
- Safety Guard
- Adjustable Platform
- Side-to-Side Cylinder Ram Adjustment
- Combines Speed and Precision



30-Ton Shop Press

SKU 451472 **1,599⁹⁹**
TCE30021

Force: 60,000 Lb
Bed Internal Dimension: 21-5/8"
Working Range: 2" to 44-1/2"
Stroke: 5-7/8"

- Heavy-Duty H-Frame Steel Construction
- Includes a Hydraulic / Air Pneumatic Trigger Push-Button Control
- Dial Gauge
- Double Spring Ram Return
- Safety Guard
- Adjustable Platform
- Side-to-Side Cylinder Ram Adjustment
- Combines Speed and Precision



20-Ton Shop Press

SKU 451481 **1,299⁹⁹**
TCE20021

Force: 40,000 Lb
Bed Internal Dimension: 21-5/8"
Working Range: 0" to 39-3/8"
Stroke: 7-1/2"

- Heavy-Duty H-Frame Steel Construction
- Hydraulic Pump
- Dial Gauge
- Double Spring Ram Return
- Safety Guard
- Adjustable Platform
- Side-to-Side Cylinder Ram Adjustment
- Combines Speed and Precision

Patent No.:
ZL201120087973.5
ZL201120087953.8
ZL201110077532.1
201210130132.7
ZL201220188658.1
ZL201010181945.X
ZL201020203452.7
ZL201010181945.X
ZL201020203452.7



20-Ton Shop Press

SKU 901900 **469⁹⁹**
RANRP20T

- The Heavy-Duty RP20T Delivers Up to 40,000 Lb PF Pressure Via a 20-Ton Bottle Jack
- Includes (2) Heavy-Duty Press Plates

Bearing Splitters

Bearing Splitter, 4 5/8" - 1/2"

SKU 514006 **59⁹⁹**
27232

- Razor-Sharp Edges Wedge Between Parts and Securely Holds Tool
- Maximum Spread: 4-5/8"
- Minimum Spread: 1/2"
- Thread of Tapped Holes in Adapter: 5/8" -18
- Distance Between Adjusting Screws: 4-3/8"



Bearing Splitter, 1/4" - 15/16"

SKU 514005 **29⁹⁹**
27231

- Maximum Spread: 15/16"
- Minimum Spread: 1/4"
- Thread of Tapped Holes in Adapter: 5/16" -18
- Distance Between Adjusting Screws: 1-11/16"



Tubing Benders

Blue Bullet Tubing Bender

SKU 015350 **6,669⁹⁹**
BENBBI

- Maximum Bending Radius: 5"
- Top Cylinder Working Force: 55,000 Lb
- Minimum Bending Radius: 3-1/2"
- Hydraulic Filter Canister Type
- Maximum Tube Capacity: 3" / .095 Wall
- Dimensions: 42" x 62" x 31"
- Dies Supplied: 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"
- Motor: 5HP / 220 VAC / 1-Phase



Lift Gate Service
SKU 262533 **135⁰⁰**
RANLIFTGATE

BendPak
PROFESSIONAL GRADE TUBING BENDERS



3" Die Kit (Optional)
SKU 095070 **979⁹⁹**
BEN300-1

Leasing Terms Available.
Ask Your AutoZone® Commercial Sales Manager.
Free Delivery!
in 48 Continental United States



BEST VALUE
5-Ton Bar-Type Puller/Bearing Separator Set
SKU 347218 **99⁹⁹**
27236

- Separator Tools are Used with Bar Puller and Legs for a Wide Variety of Pulling Jobs
- Set Includes 2" and 3" Bearing Splitters, Four Sets of Hex Push-Puller Legs and a Bar-Type Puller Head with a 9/16" Forcing Screw

OEM