

FLUID HANDLING

Fluid Extractors

Pneumatic or Manual Function



Pneumatic/Manual

- Working psi: 85; Max. psi: 120
- Air Consumption: 6.5 CFM
- Single Piece Reservoir Structure Features a Leak Proof Bottom
- Overflow Shutoff Valve Prevents Fluid from Overflowing
- Use to Extract Most Fluid Types: Engine Oil, Transmission Fluid, Gear Oil, Coolant and Power Steering Fluid
- Updated 41" Extended Dipstick Hose Adapters for a Longer Reach and Broader Applications

OEM TOOLS®

1.5 Gallon (6.3 Qts.)
SKU 666978
24937
79⁹⁹
REG. \$119.99

SAVE \$40

2.5 Gallon (10 Qts.)
SKU 666881
24938
119⁹⁹
REG. \$149.99

SAVE \$30



Offer Good While Supplies Last
Through September 30, 2023

All OEMTOOLS Fluid Extractors Include:



Fluid Evacuators

Mityvac

PneumatiVac Fluid Evacuator (2.3 Gallon)

SKU 497203
MITMV7300

159⁹⁹

- Operates on Compressed Air
- Independent Air Shut-Off Valve



Fluid Evacuator Plus

SKU 497200
MITMV7201

169⁹⁹

- Evacuates or Dispenses at the Push of a Button
- Integrated 2.3 Gallon (8.8 Liter) Capacity Reservoir
- Durable, Chemical Resistant Polyethylene Construction
- Dipstick Tube Adapters Included



Fluid Evacuator (1.9 Gallon)

SKU 594882
MITMV7400

129⁹⁹

- Integrated 1.9 Gallon (7.3 Liter) Capacity Reservoir
- Evacuates All Kinds of Fluids Including Engine Oil, Transmission Fluids, Gear Oil, Coolant, Brake Fluid and More



Manual Function



Manual Fluid Extractors

- Reservoir with Hand Operated Pump to Tackle Big Jobs

1.4 Gallons (5.6 Qts.)
SKU 544744
24389
79⁹⁹



2.1 Gallons (8.4 Qts.)
SKU 666877
24936
99⁹⁹



2.5 Gallons (10 Qts.)
SKU 547010
24397
119⁹⁹




BUY A MANUAL EXTRACTOR - GET THIS

BONUS VALUE: \$14.99

Manual Fluid Extractor and Filler (7 Oz./21 Qt./200 mL)
24985

With Purchase of: 24389, 24936 or 24397

Offer Good Through September 30, 2023



Fluid Extractors and Fillers

1.5 L Fluid Extractor/Dispenser

SKU 606541 **69⁹⁹**
MITMVA6852

- Simple Manual Syringe-Type Action Quickly and Cleanly Extracts or Dispenses Fluid
- Integrated Valve and Cap to Prevent Spills and Leaks
- Compact, Streamlined Design Allows Access into Tight Spaces
- Ideal for Evacuating or Topping Off Fluid Reservoirs
- Easy to Clean; Hose and Seals are Simple to Replace



Manual Fluid Extractor and Filler (7 Oz./ .21 Qt/200 mL)

SKU 666326 **14⁹⁹**
24985

- Used to Extract and Refill Many Common Automotive Fluids, Including Brake Fluid
- Dual Scale Molded into Cylinder Body (Qt./mL)
- Includes Extension Tube for Accessing Hard-To-Reach Filler Necks and Reservoirs



NEW

1.5 L Fuel Extraction Syringe

SKU OUTSIDE BUY/EPO **99⁹⁹**
MITMVA6853

- Ideal for Evacuating or Priming Diesel Fuel Systems
- 2 Adapter Hoses: 10 mm Male to 3/8" or 5/16" Female Fuel System Connections
- 3 Male-to-Male Adapters: 10 mm Male to A Barbed, 3/8" or 5/16" Male Connection



For Outside Buy/EPO, Call 901-300-4878

Fluid Siphon Pump

SKU 568475 **34⁹⁹**
24863

- Transfer Fluids Easily Use to Transfer Gas, Water, Oil and Other Non-Corrosive Liquids
- Hose Reach: 6' with 1/2" Diameter

OEM TOOLS



Transmission Fluid Fill Adapter

SKU 1125880 **18⁹⁹**
25740

- Required Tool to Fill or Add Fluid to the 5R55W Automatic Transmission
- Used in Many Ford Vehicles (2003 - Newer) Same as Ford No. 307-437

OEM TOOLS



Fluid Management

Manual ATF Filler System

SKU 526508 **99⁹⁹**
24441

- Complete System for Servicing Sealed Automatic Transmissions
- Includes Adapters to Fit Ford, BMW, Honda, Nissan, VW, Porsche, Mini Cooper, Audi and Mercedes-Benz Transmissions
- Reservoir Capacity: 3 Liters (3.1 Quarts)
- The Fluid Dispensing Hose Features a Swivel Connector and Fluid Dispensing Shut-Off Valve
- Comes with Belt Attachment for Storing All of the Adapters on Dispenser
- Adapters Included:
DSG M24 x 1.5,
CVT M22 x 1.5,
CVT M12 x 1.5,
ATF M10 x 1.0,
ATF 1/8 NPT - 27,
ATF 04, ATF 03
and ATF 02



ATF Refill Kit, 5L

SKU 265092 **449⁹⁹**
MITMV6410A

- Fluid is Dispensed Under Pressure for Smooth Continual Flow
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Internal Pump Components are Sealed Against Exposure to Fluids
- Flow Control Valve is Conveniently Located Near Fluid Output
- Features Integrated Safety and Manual Pressure Relief Valve



Universal Fluid Dispensing System

SKU 265093 **229⁹⁹**
MITMV6400

- Large 1.2 Gallon (5 Liter) Fluid Capacity
- Integrated Manual Pump Adds Air Above the Fluid Level to Prevent Aeration
- Pressure Gauge Indicates Fluid Dispensing Pressure
- Safety and Manual Pressure Relief Valve
- Vehicle Adapters Not Included



Pneumatic ATF Refill Kit, 10L

SKU 1330680 **489⁹⁹**
MITMV7412

- Utilizes Compressed "Shop-Air" to Produce Pressure for Fluid Dispensing



ATF Refill Adapters with Hose

SKU 972278 **259⁹⁹**
MITMV7216A

Quickly Converts the Mityvac MITMV7201 Fluid Evacuator Plus into a Professional Tool for Refilling Sealed Automatic Transmissions

- 13 Quick-Change ATF Refill Adapters Fit Most Vehicle Transmissions



Evacuator/Dispenser, 10L

SKU 1228726 **319⁹⁹**
MITMV7110

- Isolated Flow Control and Pressure/Vacuum Switch Valves Provide Simple Functionality Control
- Redundant Pressure Control Systems Safely Maintain Peak Output Pressure Below 30 psi (2 Bar)



FLUID HANDLING

Lever Action Pumps

Lever Action Barrel Pump - Polypropylene

SKU 688036 **54⁹⁹**
24471

- Ideal for Diesel, Kerosene, Lubricants and Other Oils Not for Gasoline, Water Based Chemicals or DEF



Lever Action Barrel Pump Polypropylene Stainless Steel Rod

SKU 688038 **39⁹⁹**
24472

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- Not for Gasoline or DEF



Lever Action Barrel Pump - Ryton® Stainless Steel Rod

SKU 688037 **49⁹⁹**
24473

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Acids Including DEF
- Not for Gasoline



DEF
COMPATIBLE

Lever Action Barrel Pump

SKU 970530 **99⁹⁹**
LIN1340

- Pumps Non-Corrosive Fluids, Not for Gasoline
- Telescoping Tube for 16 to 55 Gallon Drums
- Removable Non-Drip Spout Allows for Threaded Hose Connection



Rotary Pumps

Rotary Barrel Pump

SKU 462486 **39⁹⁹**
24382

- Fluid Transfer Pump for Use with Oil-Based Fluids, Heating Oils, Motor Oils, ATF, Diesel and Kerosene
- Not for Gasoline or DEF



Polypropylene Rotary Drum Pump

SKU 688035 **89⁹⁹**
24470

- Ideal for Pumping Diesel, Oils, Kerosene, Water-Based Chemicals, Bases and Mild Acids
- Not for Gasoline or DEF



Manual Rotary Oil Pump with Hose for 55 Gallon Drums

SKU 265089 **319⁹⁹**
LIN1385H

- Includes: 8 Ft. x 3/4" Anti-Static Hose with Non-Sparking Aluminum Nozzle with Hanger; Seal Tight Telescoping Pick-Up Tube with Strainer for 16 to 55 Gallon Drums with 2" Bung



Drum Not Included

Manual Rotary Pump for 55 Gallon Drums

SKU 462977 **229⁹⁹**
LIN1385

- Hose Not Included

Manual Rotary Fuel Pump with Hose for 55 Gallon Drums

SKU 265088 **339⁹⁹**
LIN1387

- 3 Vane Manual Rotary Pump for Most Fluid Types Including Gasoline, Diesel, Kerosene, Coolant, Non-Corrosive Materials, Medium Viscosity Petroleum Based Fluids, Hydraulic Oils and ATF



Drum Not Included

Oil and Grease

300 Gallon Double Wall Package

- Ideal for Motor Oils and Hydraulic Oils in Shops Where Space is a Concern
- Includes Filter/Regulator
- 5:1 Ratio RAM Pump
- Heavy-Duty Reel with 50' Delivery Hose



ALM1300U50ERDW

Vertical Tank

SKU OUTSIDE BUY/EPO
ALM1300U50ERDW

4,749⁹⁹

Horizontal Tank

SKU OUTSIDE BUY/EPO
ALM1300S0ERDW

4,699⁹⁹

For Outside Buy/EPO, Call 901-300-4878

Oil Trolley Package

SKU OUTSIDE BUY/EPO
ALM343509

1,949⁹⁹

- Pneumatically Operated Alemite Pump
- Electronic Meter with Flexible Extension Measures Pints, Quarts, Gallons or Liters
- 30' Heavy-Duty Reel



For Outside Buy/EPO, Call 901-300-4878

Grease Trolley Package

SKU OUTSIDE BUY/EPO
ALM343510

2,049⁹⁹

- Arm Extends to Hold Control Valve or Meter
- Heavy-Duty Control Valve with Universal Swivel
- 30' Heavy-Duty Reel



For Outside Buy/EPO, Call 901-300-4878

Fluid Handling Equipment

Electronic Metered Handle with Formable Outlet

SKU **OUTSIDE BUY/EPO**
SAM365537

364⁹⁹

- Designed for Metering Lubricants and Antifreeze
- Measures in Pints, Quarts, Gallons or Liters
- Large Inlet Swivel + Filter Keeps Out Contaminants
- Max. Flow Rate: 8 Gal/m (30 l/min)
- Max. Working Pressure: 1,450 psi (100 bar)



Digital Oil Meter

SKU 383183
LIN982 **449⁹⁹**

- Large 6 Digit LCD Display with Two Decimal Point Precision
- Measures in Quarts, Pints, Gallons or Liters
- 13" Flexible Extension with Automatic Nozzle
- Low Battery Indicator
- Built-In Trigger Guard



LINCOLN

Grease Pump

Manual Gear Lube Dispenser

SKU 174166
LIN1293 **129⁹⁹**

- 5' Hose, 13" Pump
- Tube Fits 25 to 50 Lb. 5 Gallon Container
- Delivers 1 Oz. per Stroke



LINCOLN

PM2 3:1 Oil Pump with Hose Kit

SKU **OUTSIDE BUY/EPO**
SAM222

644⁹⁹

- Perfect for Small to Medium Facilities, Quick Lubes, Tire Shops, Tank Packages
- Pump Used with Lubricants, Transmission Fluid, Hydraulic Oil, Gear Lube
- Fits 55 Gallon Drum or 36" Tank



SAMSON

Dual Pedestal-Arm Steel Medium Pressure Hose Reel

SKU **OUTSIDE BUY/EPO**
SAM504250 **799⁹⁹**

- 1/2" x 50' MP Industrial Grade Hose Reel
- Includes 30" Inlet Hose
- Lubricated Dual Ball Bearings for Smooth Operation and Long Life



SAMSON

Fuel Transfer Pumps

25 Gallon Steel Gas Caddy

SKU 360585
DOWFC25GC **789⁹⁹**

- UL Approved
- 25 Gallon Tank is Constructed of 14" Gauge Steel for Use with Unleaded Gasoline, Kerosene, Ethanol E85, Diesel, and Bio-Diesel Fuels

JohnDew Industries



Two-Way Fuel Filter for Gas Caddies

SKU 360659
DOWJDIFF25 **279⁹⁹**

- For use on DOWFC25GC, DOWJDI25GC



Gas Caddie Not Included

To Confirm Price, Availability and Ordering Instructions on Outside Buy/EPO, Call 901-300-4878

Fluid Exchangers

2 Tank Coolant Exchanger with Start-Up Kit

SKU **OUTSIDE BUY/EPO**
MXMMX2COMBO

3,099⁹⁹

- 2 Fiberglass Tanks with 10 Gallon Capacity
- Allows Coolant/Antifreeze Exchange Directly from the Radiator Spout or Expansion Tank
- Heavy Duty Aluminum Design
- Energy Saving—No Electricity or Batteries Required
- Eliminates Spills



Includes 24 Bottles, 12 Each of Radiator Flush and Conditioner Value \$529.98

2 Tank Coolant Exchange Machine

SKU **OUTSIDE BUY/EPO**
MXMMX2 **2,999⁹⁹**

- Coolant Not Included

V CX-1 Vacuum Coolant Exchanger

SKU **OUTSIDE BUY/EPO**
MSS4708001900

2,799⁹⁹

- Extremely Fast Service Cycles
- Simple Hook-Up and Operation
- Flexible Adaptation for Most Makes and Models



Fluid Not Included

Trans-Tech 4 Plus

SKU **OUTSIDE BUY/EPO**
MVC500-1125B

MOTORVAC

4,999⁹⁹

- Automatic, In-Line Exchange Through Vehicle Cooler Line
- ATF Exchange Through Vehicle Transmission Dipstick
- Drain Pan Feature
- 26 Quart New Fluid Reservoir
- High Volume Pump for Rapid and Efficient Service
- Comes with Standard Set of Adapters
- Uses MVC400-0137 2-Part ATF Cleaner and Conditioner Fluid



Fluid Not Included

FluidPRO® ATX-3+Boost Transmission Fluid Exchanger

SKU **OUTSIDE BUY/EPO**
MSS4008000900

5,049⁹⁹

- Fully Automatic Operation
- Precision Fluid Measurement to Minimize Technician Input
- Digital Weight Scale Technology for Accurate Fluid Exchange
- Transmission Pressure Diagnostics

MAHLE



Fluid Not Included